

Table of Contents

1	EXECUTIVE SUMMARY	4
2	MONTHLY STATISTICS	5
	CODE BREACHES	5
	JOINING AND TERMINATING PARTIES AND UNITS	6
	SUSPENSION OF PARTICIPANTS	6
3	FINANCIAL STATISTICS	7
	TOTAL CHARGES FOR EACH CURRENCY	
	TOTAL PAYMENTS FOR EACH CURRENCY	
	TOTAL BALANCING COSTS	
	TOTAL CURRENCY COSTS	10
	FINANCIAL CHANGES BETWEEN INITIAL SETTLEMENT AND SUBSEQUENT RERUNS	
	3.1.1 Energy Market	
	3.1.2 Capacity Market	
	HELPDESK CALL STATISTICS	
5.	DISPUTES AND QUERIES	22
	5.1.2 Data Queries	
	5.1.3 Settlement Queries	
	UNRESOLVED QUERIES	22
6.	CENTRAL SYSTEMS	23
	PROPORTION OF DEFAULT DATA USED	
	PROPORTION OF ESTIMATED METER DATA USED IN INITIAL SETTLEMENT AND RESETTLEMENT	
	LIST OF SYSTEM ERRORS AND RE-RUNS	
	6.1.1 Re-Pricing and Resettlement Runs	
	6.1.2 System Errors	
	6.2.1 MSP Postings April 2015	
	6.2.2 MSP Algorithms	
	6.2.3 Settlement Postings April 2015	
	6.5 Market System Releases	29
	6.5.1 Release SEM R2.6.0 (Proposed Deployment: May 15 th 2015)	
	6.5.2 Release SEM R2.7.0 (Proposed Deployment: October 2015)	29
7 (OCCASIONAL COMPONENTS	30
	7.1 DISASTER RECOVERY/BUSINESS CONTINUITY TESTS	
	7.4 DENIAL OF SERVICE ATTACKS	
	7.5 SUBMISSION OF PARAMETERS TO RAS FOR APPROVAL	
8 /	APPENDIX A: DETAIL OF CODE BREACHES	31
	Market Participant	31
	DATA PROVIDER	
	SEMO - PRICING AND SCHEDULING	
	SEMO - SETTLEMENTS	32
	SEMO - FUNDS TRANSFER	
	SEMO - CREDIT MANAGEMENT	
	SEMO – OTHER	
9	APPENDIX B: LIST OF QUERIES BY TYPE	33
	DATA QUERIES	
	SETTLEMENT QUERIES	34
10	APPENDIX C: LIST OF ALL SYSTEM ERRORS AND FAILURES	35

11 APPENDIX D: DETAILS OF OPERATIONAL TIMINGS	.36
MARKET SCHEDULE AND PRICE RUNSSETTLEMENT RUNS	36 37
12 APPENDIX E: IMPERFECTIONS CHARGE	.38
13 APPENDIX F: DEFAULT COMMERCIAL OFFER DATA USED	.45
14 APPENDIX G: TOTAL CHARGES AND PAYMENTS DATA	.49
15 APPENDIX H: FULL BALANCING COSTS	.51
TRADING MARKETCAPACITY MARKET	51 51
16 APPENDIX I: MSP ALGORITHMS	.53

1 Executive Summary

This Single Electricity Market Operator's (SEMO) report covers the month of operation of April 2015 and is published in accordance with the Single Electricity Market (SEM) Committee decision and Clause 2.144 of the Trading and Settlement Code. Trading and Settlement Code.

During the month of April 2015, Settlements had no late publications as per the Trading and Settlement code.

169 general queries were received in April 2015. During the same period 164 general queries were resolved.

There were fourteen defaults by Participants during April 2015. The largest of these was an Energy Initial £4,687.30 invoice which was remedied on the same day.

Formal queries continue to be answered well within the timelines stipulated in the Trading and Settlement (Code).

2 Monthly Statistics

Code Breaches

Breaches of the Trading & Settlement Code were noted in the following areas.

Code Breaches						
Area Major						
Data Providers		-	2			
Market Participants	Pricing & Scheduling	-	-			
	Settlement		-			
	14	-				
	-	-				
SEMO	Pricing & Scheduling	-	7			
	Settlement	-	-			
	Funds Transfer	-	-			
	Credit Risk Management	-	-			
	Other	-	-			
Total	•	14	9			

Table 1 - Code Breaches

Further details of each of the code breaches noted above are set out in Appendix A

Key:

- Major Breach late publishing of invoices, default notices issued for non-payment or similar.
- Minor Breach deadlines not met, but any financial implication to Participants. This includes late posting of pricing and settlement runs.

Joining and Terminating Parties and Units

There were no new Parties joining the Market in April 2015.

There were no terminating parties in April 2015.

Three new units became effective in the Market in April 2015.

- Acres Windfarm APTG (PT 400066/GU401820)
- Woodhouse Windfarm APTG (PT 400034/GU401680)
- Cloghbooloa Windfarm APTG (PT_400162/GU401830)

There were no units de-registered from the Market in April 2015.

One Supplier unit became effective in the Market in April 2015.

Panda Power Limited – SU – (PT 400161/SU400185)

Suspension of Participants

There have been no Suspension Orders issued by the Market Operator at this time.

3 Financial Statistics

Total Charges for Each Currency




Figure 1 - Total Charges for Each Currency

Market	April 2015		
	ROI	NI	
Energy	€49,671,449	£20,444,248	
Capacity	€18,463,469	£5,917,010	
Market Operator	€767,415	£191,002	
M+4 Energy	€442,876	£178,167	
M+4 Capacity	€132,859	£60,451	
M+4 Market Operator	€2,618	£1,059	
M+13 Energy	€174,481	£38,566	
M+13 Capacity	€24,019	£8,077	
M+13 Market Operator	€807	£245	
Ad-hoc Energy	€34,067	£24,964	
Ad-hoc Capacity	€0	£0	
Ad-hoc Market Operator	€0	£0	
Total	€69,714,060	£26,863,791	

Table 2 - Total Charges for Each Currency

Notes relating to Table 2 and 3:

- Month of inclusion based on Invoice Date.
- Amounts are after application of Settlement Reallocations.
- Previous month's data is available in <u>Appendix G</u>.

Total Payments for Each Currency

Figure 2 - Total Payments for Each Currency

Market	April 2015		
	ROI	NI	
Energy	€55,596,682	£14,229,748	
Capacity	€19,228,985	£5,312,670	
M+4 Energy	€447,913	£178,040	
M+4 Capacity	€132,018	£60,668	
M+4 Market Operator	€2,588	£1,059	
M+13 Energy	€93,343	£28,971	
M+13 Capacity	€23,125	£8,625	
M+13 Market Operator	€794	£242	
Ad-hoc Energy	€27,655	£20,785	
Ad-hoc Capacity	€0	£0	
Ad-hoc Market Operator	€0	£0	
Total	€75,553,104	£19,840,808	

Table 3 - Total Payments for Each Currency

Total Balancing Costs

Balancing Costs arise in the Energy and Capacity markets when the summed payments to the SEM from Participants in respect of their Supplier Units do not meet the summed payments to Participants from the SEM in respect of their Generator Units.

Although, it is intended the Energy Payments and Energy Charges should be balanced through the mechanism of the Error Supplier Unit in each jurisdiction, because Energy Payments are made against Market Schedule Quantities while the Error Supplier Unit volumes are calculated against Metered Generation, the different application of Loss Factors means that there is frequently an imbalance between the Energy Payments and Energy Charges.

With regard to the Energy Settlement, the Balancing Costs have been calculated as follows for the entire month:




Table 4 - Balancing Costs for Energy Settlement




Figure 3 - Energy Imbalances

The full Balancing Cost of the SEM is determined by the summation of the daily payment amounts for Energy Imbalance, Constraint Payments, Uninstructed Imbalance Payments, and Imperfections Charges combined with the weekly Make Whole Payments and Testing Charges.

Historical values for testing charges have been provided in Appendix E.

The figures for the full Balancing Cost of the SEM since the last Market Operator report are shown below, as well as the VAT Balancing Costs.

In tables 5 and 6 below:

- Positive values indicate Payments were greater than Charges.
- Negative values indicate Charges were greater than Payments.

Date Of Invoice	Week No	SEM Balancing Costs	VAT Balancing Costs
04/04/2015	./04/2015 12 €449,		-€64,651.98
11/04/2015	13	€89,053.88	-€38,664.98
18/04/2015	14	-€1,012,471.70	€128,936.18
24/04/2015	15	-€839,084.24	€128,786.90

Table 5 - Balancing Costs for Trading Payments and Charges

SEM Balancing Costs are provided based on daily exchange rates, VAT Balancing Costs are based on the Invoicing day exchange rate. VAT Balancing costs exclude Currency Cost related VAT.

It is intended that the algorithms set out in the Trading and Settlement Code will lead to a balanced Capacity Market. However, rounding precisions within the systems may result in an imbalance being introduced into the equations. This imbalance may lead to funding requirements to ensure that all payments out are made as per the terms of the Code.

With regard to the Capacity Settlement, the Balancing Costs have been as follows:

April 2015				
Capacity Charges	-€39,714,545.67			
Capacity Payments	€39,714,280.26			
Balancing Costs	-€265.40			
VAT	-€0.08			

Table 6 - Balancing Costs for Capacity Settlement

Historical figures, the current financial year full Balancing Costs for both Trading and Capacity are provided in <u>Appendix H</u>. VAT Balancing costs exclude Currency Cost related VAT.

Total Currency Costs

Currency Costs in the SEM are calculated with respect to the difference in Exchange Rates due to two components:

1) Invoice Currency Costs: - in respect of the difference between the Trading Day Exchange Rate (and Annual Capacity Exchange Rate in respect of Capacity Settlement)

and the Exchange Rate on the Date of Invoice (being the date of issue of the Invoice) for Trading Payments and Charges.

2) Payment Period Currency Costs: - in respect of the difference between the Exchange Rates between the Date of Invoice and the Date of Payment.

Although the Code uses the term Currency Cost, the currency differences may end up as a benefit or a cost to the Participant depending on how the Exchange Rate fluctuates between the Billing Period, Invoice Date and Payment Date. In the table below, where this value is positive this means there was an overall benefit to Participants, negative values mean there was an overall cost to Participants resulting from trading in two currencies. Figures are shown in Sterling (£).

Last Date Of Billing Period	Date Of Invoice	Week No	Currency Costs For Energy Settlement (Invoice and Payment)	Currency Cost Adjustment for Inter- jurisdictional SRAs	Total Currency Cost
28/03/2015	03/03/2015	12	-£18,266.29	-£3,514.82	-£21,781.11
04/04/2015	10/03/2015	13	£2,954.74	£3,959.99	£6,914.73
11/03/2015	18/03/2015	14	-£5,868.44	£27,310.01	£21,441.57
18/03/2015	24/03/2015	15	-£5,263.05	£19,844.01	£14,580.96

Table 7 - Total Currency Costs for Trading Payments and Charges

The Total Currency Cost figures detailed above show the Currency Cost for each Billing Period including Invoice Currency Costs, Payment Period Currency Costs, and Inter-jurisdictional SRA Currency Costs.

Over the period of this report Currency Costs for each week represented a benefit to Participants of up to £21,441.57 and a cost of £21,781.11. Whether Currency Costs are a cost or benefit to Participants is directly related to whether the currency is rising or falling between the billing period, invoice date and payment dates.

Settlement Reallocation Agreements between the two currency zones continue to present volatility in the Currency Costs that appear in the Energy market each week. The value of these adjustments is detailed separately above in each Billing Period.

The Currency Costs, for the current financial year, with respect to Initial Capacity Settlement are set out below. Figures are shown in Sterling (£).

Date Of Invoice	Capacity Month	Currency Costs For Capacity Settlement
12/05/2015	April 2015	£7,848.14

Table 8 - Total Currency Costs for Capacity Payments and Charges

Cumulative Imperfections Costs Vs Budget

The value of Cumulative Imperfections Costs Vs Budget is calculated as the sum of Total Constraint Payments, Total Uninstructed Imbalance Payments, Total Testing Charges and

Total Make Whole Payments, as compared against the Total Imperfections Charges, being the weekly budget for these Imperfections Costs.

These values have been collected across the months since the start of the new financial year, 1st October 2014. The values expressed in Euros are as follows.

This table makes use of the values taken from the Initial Settlement Run of Trading payments and charges.

Total Constraint	int Total Uninstructed Total Make Whole		
Payments	Imbalance	Payments	Total Imperfections
€116,155,454.54	€116,155,454.54 -€1,792,588.74		-€111,709,338.30

Table 9 – Cumulative Imperfections Costs Vs Budget

Note: The Total Constraints Payment figure above has been updated to contain Interconnector Unit Gate variables.

This is demonstrated in the figure below.




Figure 4 - Cumulative Imperfections Costs Vs Budget

The daily and weekly data that comprised these values is shown in Appendix E.

Financial Changes between Initial Settlement and Subsequent Reruns

The following graphs provide a breakdown of resettlement amounts for the M+4 resettlement period of December 2014 and M+13 resettlement period of March 2014 for Energy and Capacity.

3.1.1 Energy Market

Note: - For Figure 6, 8, 9, net values are shown.

Positive amounts indicate net additional payments by Participants (Charges).

 Negative amounts indicate net additional payment to be made <u>to</u> Participants (Payments).

The reverse is true for Figure 7 & 10

M+4 Resettlement




Figure 5 - Independent Suppliers Monetary Changes for Energy Resettlement - December 2014

The above variances relates purely to rounding for Participants between Initial and M+4 Resettlement.




Figure 6 - Generation Monetary Changes for Energy Resettlement - December 2014




Figure 7 – Total Monetary Changes for Energy Resettlement – December 2014

M+13 Resettlement




Figure 8 - Independent Suppliers Monetary Changes for Energy Resettlement - March 2014

The above variances relates purely to rounding for Participants between M+4 and M+13 Resettlement.




Figure 9 - Generation Monetary Changes for Energy Resettlement - March 2014




Figure 10 - Total Monetary Changes for Energy Resettlement - March 2014

3.1.2 Capacity Market

Note: - For Figure 12, 13 & 16 net values are shown.

- Positive amounts indicate net additional payments by Participants (Charges).
- Negative amounts indicate net additional payment to be made <u>to</u> Participants (Payments)

The reverse is true for Figure 14 & 22.

The changes in Capacity are graphed below showing the variance in monetary terms as opposed to percentage terms. As the Jurisdictional Error Supply Units can be significantly affected by resettlement, this is more reflective of the monetary redistribution in M+4 and M+13. Please also note that as of June 2011 the Jurisdictional Error Supply Unit (ROI) is now a Retail Supply unit. The Jurisdictional Error Supply Unit (NI) is unchanged.

M+4 Resettlement

Under resettlement, charges originally attributed to the Jurisdictional Error Supplier Units, have now been redistributed among Market Participants.




Figure 11 - Independent Suppliers Monetary Changes for Capacity Resettlement - December 2014




Figure 12 - All Generation Monetary Change for Capacity Resettlement – December 2014

The changes above are driven by updated meter data for Autonomous Price Taker Generators.




Figure 13 - Comparison of Distribution of Monetary Amounts between Capacity Initial and Resettlement December 2014

The above graph demonstrates that due to all the individual changes to payment and charge amounts on a Supplier or Generator Unit basis, the overall Capacity Market resettlement Charge and Payment amounts have not changed due to resettlement.

M+13 Resettlement




Figure 14 - Independent Suppliers Monetary Changes for Capacity Resettlement - March 2014




Figure 15 – All Generation Monetary Change for Capacity Resettlement – March 2014




Figure 16 - Comparison of Distribution of Monetary Amounts between M+4 Capacity Resettlement and M+13

Capacity Resettlement – March 2014

The above graph demonstrates despite all the individual changes to payment and charge amounts on a Supplier or Generator Unit basis, the overall Capacity Market resettlement Charge and Payment amounts have not changed due to resettlement.

4 Helpdesk Call Statistics

The statistics presented in Table 10 - Helpdesk Call Statistics covers the month of April 2015.

Market Helpdesk Report: 01/04/15 to 30/04/15						
	Received	Resolved within the period	Not Resolved	Resolved in the period	Resolution Time (Working Days)	Resolved On Time
Normal	162	143	19	157	1.97	142
Important	3	3	0	3	0.22	3
Urgent	4	4	0	4	0.47	4
Settlement	6	4	2	4	3.75	4
Credit	0	0	0	0	0.00	0
Dispute	0	0	0	0	0.00	0
Data	1	1	0	1	2.22	1
Total/Average	176	155	21	169	1.73	154

Table 10 - Helpdesk Statistics

Definitions:

- Resolved within the Period refers to queries raised and resolved within the calendar month of April 2015.
- Resolved in the Period refers to queries resolved within April 2015, and includes queries raised before this time.
- Resolution Time (Working Days) refers to average time to resolve, in working days, for this category of query. It is calculated based on all queries for the category, not just April 2015.
- Not Resolved refers to queries raised but not resolved within April 2015.
- Urgent are general queries which may have an impact on market operations. SEMO
 has an internal objective to resolve these within 3 working days; however, this is not
 mandated service level under the Trading & Settlement Code.
- Disputes are where a dispute has been raised over the outcome of a data or settlement query.

The average resolution time for General Queries has increased by 0.99 working days in April 2015 to 1.97 from 0.98 working days in March 2015. SEMO has a metric to resolve General Queries within 20 Working Days. These include queries received over the phone and e-mail. There were no queries logged in April 2015 that took over 20 working days to resolve.

Data and Settlement Queries generally continue to be responded to within the timelines required by the Code, i.e. one calendar month. No Formal Query timeline extensions were required during April 2015 with regard to formal Settlement Queries.

5. Disputes and Queries

5.1.1 Disputes

There were no Disputes raised during the month of April 2015 and there are no outstanding Disputes.

5.1.2 Data Queries

There was one formal Data Query raised during the month of April 2015.

Торіс	Number Of Queries
Availability	1

Table 11 - Upheld Data Queries by topic

5.1.3 Settlement Queries

There were six formal settlement Queries raised in April 2015. Three of these were upheld and have since been resolved.

Topic	Number Of Queries
Dispatch Instructions	1
Eligible Availability	2

Table 12 - Upheld Settlement Queries by topic

- One query relating to a Dispatch Instructions was raised, this was deemed to be of low Materiality and will be corrected in M+4 Re-settlement
- Two queries relating to Eligible Availability were raised.
 - One was due to a publication error an has since been resolved
 - One was withdrawn due to a re-submission of a further settlement query.

Unresolved Queries

There are three unresolved data queries and four unresolved settlement queries as at the 13th May, 2015

A full list of all the Data and Settlement queries raised is contained in Appendix B.

6. Central Systems

Proportion of Default Data Used

On review of the Commercial Offer Data used in the MSP runs, 71.47% of data used was submitted by Participants through the normal Bid-Offer process. 28.53% of the data used was based on Standing Commercial Offer Data. 0.0% of the data used was based on adjusted offer data. None of the data used was based on Default Commercial Offer Data (Default differs from Standing in that it is based on the initial Default data submitted during registration process and not on more recent Standing Data submitted by the Participant through the Market Participant Interface). Details by unit are provided in <u>Appendix F</u>.

Proportion of Estimated Meter Data used in Initial Settlement and Resettlement

This is not calculable presently.

List of System Errors and Re-runs

6.1.1 Re-Pricing and Resettlement Runs

There were no Re-Price runs carried out in April 2015.

There were eight Resettlement runs carried out in April 2015.

6.1.2 System Errors

There were four defects found in April 2015. One in the Market Interface (MI) and three in the Market Application (MA).

- 1. Defect 138907
- 2. Defect 138908
- 3. Defect 139204
- 4. Defect 139207

These have all been raised as defects and we will aim to have them fixed for the SEM 2.7.0 Release or for the wash up release.

Details are provided in 10 Appendix C: List of All System Errors and Failures.

6.2 Operational Timings

This section lists the operation timings of MSP software runs and Settlement runs.

There are five run types for MSP software,

- Ex-Ante 1 Indicative, run on Trading Day 1 calendar day,
- Ex-Ante 2 Indicative, run on Trading Day 1 calendar day,
- With In Day 1 Indicative, run on Trading Day,
- Ex-Post Indicative, run on Trading Day + 1 calendar day, and
- Ex-Post Initial, run on Trading Day + 4 calendar days.

The following tables and graphs provide details for the postings of the MSP for March 2015.

6.2.1 MSP Postings April 2015

Process	On Time	< 1 hr late	> 1 hr late	Not done
Gate Close EA	30-30	0-30	0-30	0
Post EA1	30-30	0-30	0-30	0
Post EA2	30-30	0-30	0-30	0
Post WD1	30-30	0-30	0-30	0
Post EP1	30-30	0-30	0-30	0
Post EP2	30-30	0-30	0-30	0

Table 13 - Operational Timings

Process	On Time	< 1 hr late	> 1 hr late	Not done
Gate Close	100%	0%	0%	0%
Post EA1	100%	0%	0%	0%
Post EA2	100%	0%	0%	0%
Post WD1	100%	0%	0%	0%
Post EP1	100%	0%	0%	0%
Post EP2	100%	0%	0%	0%

Table 14 - Operational Timings (% on time)




Figure 17 - Ex-Ante 1




Figure 18 – Ex-Ante 2




Figure 19 - Within Day 1




Figure 20 - Ex-Post Indicative




Figure 21 - Ex-Post Initial

Details of the operational timings of the Market System and Price (MSP) runs and Gate Closure are provided in <u>Appendix D</u>.

6.2.2 MSP Algorithms

The Market Operator has two different certified solvers used to determine Unit Commitment. These solvers use the Lagrangian Relaxation (LR) and Mixed Integer Programming (MIP) methodologies.

The primary solver used in the SEM is Lagrangian Relaxation (LR). Under certain schedule outcomes where a significant pricing event is observed, the MSP software is re-run using the Mixed Integer Programming (MIP) solver. The outcomes of the two solvers are compared. Where solution determined using the MIP solver provides a better overall solution, this solution may be selected for publishing. An updated policy document on the use of MIP has been published and is available on the SEMO website <a href="https://example.com/here-running-mailto-selected-running-mailto-selected-running-mailto-selected-running-mailto-selected-running-mailto-selected-running-mailto-selected-running-mailto-selected-running-mailto-selected-running-mailto-selected-running-mailto-selected-running-mailto-selected-running-mailto-selected-running-running-mailto-selected-running-mailto-selected-running-ru

In April 2015, there were three instances of publishing with the MIP solver.

A detail of historical runs and dates where the MIP algorithm has been used for published results is provided in <u>Appendix I</u>.

6.2.3 Settlement Postings April 2015

The publication timings for Settlement runs are provided below.




Figure 22 - Indicative Settlement Postings



Figure 23 - Initial Settlement Postings

Further details of any delays noted above are provided in Appendix A

6.5 Market System Releases

6.5.1 Release SEM R2.6.0 (Proposed Deployment: May 15th 2015)

The approved scope for the SEM R2.6.0 release is as follows:

CR Ref	Mod Ref	Description
SEM_PC_CR341	n/a	Oracle Upgrade to 11.2.0.4
SEM_PC_CR342	n/a	AIX TL 9 Upgrade
SEM_PC_CR343	n/a	Smart FTP 6 upgrade

Factory Test completed to schedule on March 27th, 2015 and the software was delivered to schedule on March 31st.

Market Test completed successfully on May 1st and the release is on schedule for a Production deployment on May 15th.

6.5.2 Release SEM R2.7.0 (Proposed Deployment: October 2015)

The release cut-off date for the SEM R2.7.0 release to the Central Market Systems was Friday, March 6th, 2015. There were no approved Modification Proposals or new SDS sourced Change Requests as at the release cut-off date and, as a result, a Change Control Forum (CCF) meeting was not required.

However, SEMO will submit a proposed scope to the Regulatory Authorities for approval in early May. In summary the proposal will plan to deliver in the SEM R2.7.0 release:

- Data collection and reporting under REMIT, the EU Regulation on wholesale energy market integrity and transparency;
- Mod_09_14 (Amendment to Make Whole Payments for Interconnector Units) which was approved at Extraordinary Mods Meeting 60; and
- A number of technical changes to ensure the Central Market Systems remain aligned with supported third-party products.

On receipt of Regulatory approval SEMO will publish the approved scope to the industry.

7 Occasional Components

7.1 Disaster Recovery/Business Continuity Tests

There were no Business Continuity tests performed during April 2015.

7.3 Communications or Systems Failures

There were 2 System issues during April 2015;

On April 3rd, Market Operations reported that they could not log into SEM systems via the Citrix Web Interface. The issue was a result of a hardware failure on a SEMO file share. This was addressed immediately; contingency machines were available in the interim period for business continuity purposes. Following restoration of service the defective hardware component was replaced.

On April 23rd, SmartFTP caused a minor interruption of the transfer of the MIUN run files to the MIUN software. The issue was resolved by restarting the SmartFTP queue.

There was also a TSO impacting issue reported during April 2015;

On the afternoon of April 1st, Market Operations reported that connections for some staff in Dublin were being dropped. The issue did not affect Belfast staff. Further investigation highlighted a group policy update pushed to the TSO machines in Dublin, affecting access for some SEMO users. This was resolved the following morning by TSO support staff. During this issue, the Central Market Systems remained fully available at all times.

7.4 Denial of Service Attacks

There was no Denial of Service Attacks during April 2015.

7.5 Submission of Parameters to RAs for Approval

No parameters were submitted to the Regulatory Authorities during April 2015.

8 Appendix A: Detail of Code Breaches

Market Participant

01/04/2015	Money In	Timing	Participant	Payment Default	Ecopower Supply Limted (PT_400068) defaulted on a Week 11 2015 Initial Energy invoice	Participant Error	Default letter was issued	Major
07/04/2015	Money In	Timing	Participant	Payment Default	LCC Power Limited defaulted on a Week 11 2015 Initial VMOC invoice	Participant Error	Default letter was issued	Major
07/04/2015	Money In	Timing	Participant	Payment Default	LCC Power Limited defaulted on a Week 47 2014 M+4 VMOC invoice	Participant Error	Default letter was issued	Major
14/04/2015	Money In	Timing	Participant	Payment Default	Electricity Exchange Limited (PT_400116) defaulted on a March 2015 FMOC invoice	Participant Error	A default letter was issued	Major
14/04/2015	Money In	Timing	Participant	Payment Default	Electricity Exchange Limited (PT_400117) defaulted on a March 2015 FMOC invoice	Participant Error	A default letter was issued	Major
14/04/2015	Money In	Timing	Participant	Payment Default	BRI Green Energy Limited (PT_400153) defaulted on a March 2015 FMOC invoice	Participant Error	A default letter was issued	Major
14/04/2015	Money In	Timing	Participant	Payment Default	Contour Global Solutions (PT_500048) defaulted on a March 2015 FMOC invoice	Participant Error	A default letter was issued	Major
15/04/2015	Money In	Timing	Participant	Payment Default	Castledockrell Wind Group Ltd (PT_400082) defaulted on a Week 44 2012 Ad Hoc Energy invoice	Participant Error	A default letter was issued	Major
22/04/2015	Money In	Timing	Participant	Payment Default	G.A.E.L Force Power Ltd (PT_400069) defaulted on a Week 50 2014 M+4 Energy invoice	Particpant Error	A default letter was issued	Major
22/04/2015	Money In	Timing	Participant	Payment Default	Tynagh Energy Limited (PT_400041) defaulted on a Week 46 2012 Ad Hoc Energy invoice	Participant Error	A default letter was issued	Major
24/04/2015	Money In	Timing	Participant	Payment Default	Firmus Energy (PT_500046) defaulted on a Week 14 2015 Initial VMOC invoice	Participant error	A default letter was issued	Major
29/04/2015	Money In	Timing	Participant	Payment Default	Crystal Energy Limited (PT_400081) defaulted on a March M+13 Capacity invoice	Participant error	A default letter was issued	Major
29/04/2015	Money In	Timing	Participant	Payment Default	Electricity Exchange Limited (PT_400116) defaulted on a December 2014 M+4 Capacity invoice	Participant error	A default letter was issued	Major
29/04/2015	Money In	Timing	Participant	Payment Default	Snugborough Windfarm ROI Limited (PT_500029) defaulted on a Week 12 2014 M+13 Energy invoice	Participant error	A default letter was issued	Major

Table 15 - Code Breaches - Market Participants

Data Provider

01/04/2015	EP1	Timing	SONI MDP	File Submission	The SONI D+1 Meter Data files were not received by their deadline of 14:00 for Trade Date 31/03/2015.	A manual workaround was required by SONI which caused a delay to the file submission.	A contingency file was used and successfully uploaded at 14:49 on the 01/04/2015.	Minor
08/04/2015	EP1	Timing	EirGrid TSO	File Submission	The Eirgrid System Frequency data feed for Trade Date 07/04/2015 was not received by the Ex Post Indicative (EP1) gate window closure at 14:00.	The Eirgrid System Frequency file was not received on time for Trade Date 07/04/2015 due to an ongoing internal Eirgrid TSO system error.	The System Frequency File was resent by Eirgrid and successfully received at 14:37.	Minor

Table 16 - Code Breaches - Data Providers

SEMO - Pricing and Scheduling

07/04/2015	EA1	Quality	SEM	O Sys	/stem	A revision was required for Ex-Ante 1 (EA1) EWIC MIUNs for Trade Date 08/04/2015.	The MIUN calculator produced an error and a revised file was required.	Revised EWIC MIUNs were published by 11:23.	Minor
12/04/2015	EA1	Quality	SEM	O Sys	/stem	A revision was required for Ex-Ante 1 (EA1) EWIC MIUNs for Trade Date 13/04/2015.	The MIUN calculator produced an error and a revised file was required.	Revised EWIC MIUNs were published by 10:43	Minor
15/04/2015	EA1	Quality	SEM	O Sys	/stem	A revision was required for Ex-Ante 1 (EA1) EWIC MIUNs for Trade Date 16/04/2015.	The MIUN calculator produced an error and a revised file was required.	Revised EWIC MIUNs were published by 11:07.	Minor
22/04/2015	EA1	Quality	SEM	O Sys	/stem	A revision was required for Ex-Ante 1 (EA1) EWIC MIUNs for Trade Date 23/04/2015.	The MIUN calculator produced an error and a revised file was required.	Revised EWIC MIUNs were published by 11:15.	Minor
22/04/2015	EA1	Quality	SEM	O Sys	/stem	A revision was required for Ex-Ante 1 (EA1) EWIC MIUNs for Trade Date 23/04/2015.	The MIUN calculator produced an error and a revised file was required.	Revised EWIC MIUNs were published by 11:11.	Minor
23/04/2015	EA1	Quality	SEM	O Sys	/stem	A revision was required for Ex-Ante 1 (EA1) EWIC MIUNs for Trade Date 24/04/2015.	The MIUN calculator produced an error and a revised file was required.	Revised EWIC MIUNs were published by 11:16.	Minor
30/04/2015	EA1	Quality	SEM	O Sys	/stem	A revision was required for Ex-Ante 1 (EA1) EWIC MIUNs for Trade Date 01/05/2015.	The MIUN calculator produced an error and a revised file was required.	Revised EWIC MIUNs were published by 11:30.	Minor

Table 17 - Code Breaches - Pricing and Scheduling

SEMO - Settlements

There were no issues to report in April 2015

There are no items to show in this view of the "Issues Log" list. To create a new item, click "New" above.

Table 18 - Code Breaches - Settlements

SEMO - Funds Transfer

There were no issues to report in April 2015

There are no items to show in this view of the "Issues Log" list. To create a new item, click "New" above.

Table 19 - Code Breaches - Funds Transfer

SEMO - Credit Management

There were no issues to report in April 2015

There are no items to show in this view of the "Issues Log" list. To create a new item, click "New" above.

Table 20 - Code Breaches - Credit Risk Management

SEMO - Other

There were no issues to report in April 2015



Table 21 - Code Breaches - Other

9 Appendix B: List of Queries by Type

Data Queries

Summary Title	Description ▼	ID 🔻	Logged On 🔻	Date sent to MP 🔻	Type 📝
	There were multiple errors in the ACTA D+3 file for the 31/03/2015.Problems				
Availability	occurred with records at midnight and 00:30. The contingency file that was sent	Eigrid	2015-04-08	2015-04-10	DATA
	inplace of the ACTA D+3 file for the 31/03/201 needs to be corrected				
Availability	Incorrect Availability Declarations were sent to the SEM for GU_400362 (Turlough	GU 400360	2015-05-05		DATA
Availability	Hill Unit 3) on the 01/05/2015.	00_400300	2013-03-03		DATA
Dispatch Instructions	Incorrect Dispatch Instructions were sent to the SEM for GU_400362 (Turlough	GU 400362	2015-05-05		DATA
Disputeri instructions	Hill Unit 3) on the 01/05/2015.	00_400002	2010 00 00		БНІН
	This query has been raised due to the missing Dispatch Instructions for some				
	wind generating units on trade date 7.5.15. Please note that the submission of		2015-05-12		
Dispatch Instructions	this missing data will not cause any resettlement. The query has been raised to	SONI			DATA
	ensure the market system contains the correct DI data for completeness				
	purposes.				

Table 22 - Data Queries

SETTLEMENT QUERIES

Summary Title		ID 💌	Logged On 💌	Date sent to MP	Type 🛂
Payment Calculation	Unit GU_400311 (NW5). Unit received a sync instruction at 16:13 and then declared a Trip at 16:16. Market Operator paid this start in this settlement run but not in previous settlement runs. Another Sync issued at 16:59 which Market Operator paid and agrees with our calculations. Difference of ?9,809	PT_400030	2015-04-20	2015-04-23	SETTLEMENT
Payment Calculation	Unit GU_400311 (NW5). Unit received a sync instruction at 16:13 and then declared a Trip at 16:16. Market Operator paid this start in this settlement run but not in previous settlement runs. Another Sync issued at 16:59 which Market Operator paid and agrees with our calculations. Difference of ?9,809	PT_400030	2015-04-20	2015-04-23	SETTLEMENT
Payment Calculation	While validating the ENPIUGEX charges we noted that where PT_400021 and PT_50021 Ewic and Moyle were flowing to EB at specific time periods (for example 06:30) on specific dates the calculation applied was ENPuh=TPD x (MSQ/TLAF) according to the TSC this should be ENPuh= TPD xMSQ/TLAF can you please investigate this apparant discrepency in the applied methodolgy	PT_400021 and PT_500021	2015-04-23	2015-04-23	SETTLEMENT
Payment Calculation	Units GU_400360 (TH1) GU_400361 (TH2). Both of these units have incurred high Uninstructed Imbalances as a result of incorrect effective times in EDIL. Units GU_400360 (TH1) GU_400361 (TH2). I would like to query U.I.'s for above units at 09:30 i.e. ?4,807 & ?4,832 respectively. There was an under frequency event at 09:48 on the 10th and the units responded accordingly from 5mw to 73mw. Eirgrid did send updated dispatch instructions via EDIL, however, the effective time was 10:03 and not 09:48. As a consequence both units incurred high U.I.'s for this half hour totalling ?9,640.20.	PT_400030	2015-04-16	2015-04-28	SETTLEMENT
Payment Calculation	No EA values were provided for this unit for the 12th and 13th March. CPP values have been calculated for this unit. Could you forward the EA values used in the settlement calculations.	PT_400030	2015-04-29	2015-05-05	SETTLEMENT
Payment Calculation	query re ea values for unit gu400211 for 11th December 2014 on month +4 statement. Unit gu400211 was on test on 11th December 2014. On the rr1 statment no EA values were provided in SEM data although CPP values have been calculated. This data was provided in relation to the initial run. Could you forward the EA figures used in the December resettlement calculations.	PT_400030	2015-04-28		SETTLEMENT
Payment Calculation	Uninstructed imbalance charges on 31.3.15	PT_400148	2015-05-08		SETTLEMENT
Payment Calculation	Unit ID - GU_501820 under PT_500032 has an issue with the capacity income calculated on 28th and 29th March 2015. For 4 periods in total this unit received no capacity income, even though it had an EA>0	Viridian Energy Ltd	2015-05-12		SETTLEMENT
Dispach Instructions	This query has been raised due to the missing Dispatch Instructions for some wind generating units on trade date 7.5.15. The query has been raised to ensure the market systems contain the correct DI data for completeness purposes.	SONI	2015-05-12		SETTLEMENT

Table 23 - Settlement Queries

10 Appendix C: List of All System Errors and Failures

The definitions of the statuses used for the List of All System Errors and Failures are:

- In Progress: Fix being identified and implemented.
- Resolved: Fix has been implemented, but reruns have not been performed.
- Closed: Required reruns have been performed and error-failure has been completely rectified.

Note: Items in the List of All System Errors and Failures that have status 'Closed' in this month's report will not appear in subsequent Monthly Market Operator Reports as they are no longer open issues.

Issue No.	Description	Effect	Fixed from	Re-Pricing	Resettlement	Status
ABB2015- 138907	Scheduling issue	-	-	N	N	-
ABB2015- 138908	Offered Exposure for cancelled runs enduring indefinitely	-	-	N	N	-
ABB2015- 139204	Unusual scheduling issue - see 138278	-	-	N	N	-
ABB2015- 139207	MA RERUN System Load Issues	-	-	N	N	-

Table 24 - List of System Errors and Failures

11 Appendix D: Details of Operational Timings

Market Schedule and Price Runs

	EA1 Postings EA2 Postings		WD1 Postings		EP1Postings		EP2 Postings			
Operational Day	Target	Actual	Target	Actual	Target	Actual	Target	Actual	Target	Actual
01/04/2015	11:00	09:58	13:00	11:53	09:30	08:31	16:00	14:20	17:00	14:42
02/04/2015	11:00	09:57	13:00	11:58	09:30	08:32	16:00	14:34	17:00	14:29
03/04/2015	11:00	09:53	13:00	11:57	09:30	08:28	16:00	14:41	17:00	14:25
04/04/2015	11:00	09:56	13:00	11:59	09:30	08:34	16:00	14:45	17:00	14:52
05/04/2015	11:00	10:03	13:00	12:10	09:30	08:20	16:00	14:32	17:00	14:48
06/04/2015	11:00	09:45	13:00	11:51	09:30	08:27	16:00	14:27	17:00	15:08
07/04/2015	11:00	09:59	13:00	12:01	09:30	08:31	16:00	14:54	17:00	14:11
08/04/2015	11:00	10:01	13:00	11:58	09:30	08:35	16:00	15:01	17:00	14:26
09/04/2015	11:00	10:09	13:00	11:57	09:30	08:35	16:00	15:46	17:00	14:42
10/04/2015	11:00	10:05	13:00	11:58	09:30	08:36	16:00	14:15	17:00	14:45
11/04/2015	11:00	09:56	13:00	11:57	09:30	08:18	16:00	14:25	17:00	14:36
12/04/2015	11:00	09:56	13:00	11:50	09:30	08:18	16:00	14:43	17:00	14:47
13/04/2015	11:00	10:00	13:00	11:54	09:30	08:31	16:00	14:48	17:00	14:32
14/04/2015	11:00	09:53	13:00	11:54	09:30	08:29	16:00	14:37	17:00	14:29
15/04/2015	11:00	09:53	13:00	11:58	09:30	08:30	16:00	14:40	17:00	14:21
16/04/2015	11:00	09:52	13:00	11:55	09:30	08:29	16:00	14:36	17:00	14:35
17/04/2015	11:00	09:59	13:00	11:58	09:30	08:28	16:00	14:28	17:00	14:48
18/04/2015	11:00	09:57	13:00	11:59	09:30	08:24	16:00	14:24	17:00	14:32
19/04/2015	11:00	09:59	13:00	11:58	09:30	08:31	16:00	14:38	17:00	14:47
20/04/2015	11:00	10:06	13:00	11:56	09:30	08:31	16:00	14:37	17:00	14:49
21/04/2015	11:00	09:51	13:00	11:52	09:30	08:25	16:00	14:34	17:00	14:20
22/04/2015	11:00	09:51	13:00	12:07	09:30	08:30	16:00	14:49	17:00	14:33
23/04/2015	11:00	09:52	13:00	11:59	09:30	08:35	16:00	14:32	17:00	14:34
24/04/2015	11:00	10:08	13:00	11:51	09:30	08:55	16:00	14:26	17:00	14:33
25/04/2015	11:00	10:03	13:00	11:59	09:30	08:26	16:00	14:36	17:00	14:41
26/04/2015	11:00	09:58	13:00	11:52	09:30	08:38	16:00	14:37	17:00	14:37
27/04/2015	11:00	09:53	13:00	11:44	09:30	08:18	16:00	14:32	17:00	14:28
28/04/2015	11:00	10:01	13:00	11:58	09:30	08:34	16:00	14:42	17:00	14:30
29/04/2015	11:00	10:36	13:00	11:56	09:30	08:38	16:00	14:39	17:00	14:27
30/04/2015	11:00	09:54	13:00	11:53	09:30	08:38	16:00	14:33	17:00	14:36
01/05/2015	11:00	10:05	13:00	11:56	09:30	08:36	16:00	14:33	17:00	14:47

Table 25 – MSP Runs

Settlement Runs

	INDICATIVE			INITIAL				
Trading	Target	Actual	Target	Actual	Trading	Actual	Target	Actual
Day	Date	Date	Time	Time	Day	Date	Time	Time
01/04/2015	02/04/2015	02/04/2015	17:00	16:26	01/04/2015	06/04/2015	12:00	07:58
02/04/2015	03/04/2015	03/04/2015	17:00	16:13	02/04/2015	07/04/2015	12:00	08:35
03/04/2015	04/04/2015	04/04/2015	17:00	16:39	03/04/2015	08/04/2015	12:00	11:58
04/04/2015	05/04/2015	05/04/2015	17:00	16:17	04/04/2015	09/04/2015	12:00	12:38
05/04/2015	06/04/2015	06/04/2015	17:00	15:31	05/04/2015	10/04/2015	12:00	08:14
06/04/2015	07/04/2015	07/04/2015	17:00	12:21	06/04/2015	11/04/2015	12:00	08:20
07/04/2015	08/04/2015	08/04/2015	17:00	13:00	07/04/2015	12/04/2015	12:00	07:32
08/04/2015	09/04/2015	09/04/2015	17:00	16:37	08/04/2015	13/04/2015	12:00	07:56
09/04/2015	10/04/2015	10/04/2015	17:00	15:34	09/04/2015	14/04/2015	12:00	08:55
10/04/2015	11/04/2015	11/04/2015	17:00	15:57	10/04/2015	15/04/2015	12:00	12:20
11/04/2015	12/04/2015	12/04/2015	17:00	16:08	11/04/2015	16/04/2015	12:00	12:43
12/04/2015	13/04/2015	13/04/2015	17:00	15:40	12/04/2015	17/04/2015	12:00	07:37
13/04/2015	14/04/2015	14/04/2015	17:00	11:35	13/04/2015	18/04/2015	12:00	08:21
14/04/2015	15/04/2015	15/04/2015	17:00	12:17	14/04/2015	19/04/2015	12:00	08:00
15/04/2015	16/04/2015	16/04/2015	17:00	15:55	15/04/2015	20/04/2015	12:00	08:20
16/04/2015	17/04/2015	17/04/2015	17:00	12:56	16/04/2015	21/04/2015	12:00	07:49
17/04/2015	18/04/2015	18/04/2015	17:00	15:59	17/04/2015	22/04/2015	12:00	12:01
18/04/2015	19/04/2015	19/04/2015	17:00	16:04	18/04/2015	23/04/2015	12:00	12:19
19/04/2015	20/04/2015	20/04/2015	17:00	16:19	19/04/2015	24/04/2015	12:00	08:29
20/04/2015	21/04/2015	21/04/2015	17:00	13:25	20/04/2015	25/04/2015	12:00	09:09
21/04/2015	22/04/2015	22/04/2015	17:00	13:34	21/04/2015	26/04/2015	12:00	08:09
22/04/2015	23/04/2015	23/04/2015	17:00	15:16	22/04/2015	27/04/2015	12:00	09:34
23/04/2015	24/04/2015	24/04/2015	17:00	15:45	23/04/2015	28/04/2015	12:00	08:07
24/04/2015	25/04/2015	25/04/2015	17:00	15:38	24/04/2015	29/04/2015	12:00	12:05
25/04/2015	26/04/2015	26/04/2015	17:00	16:07	25/04/2015	30/04/2015	12:00	12:07
26/04/2015	27/04/2015	27/04/2015	17:00	10:23	26/04/2015	01/05/2015	12:00	07:58
27/04/2015	28/04/2015	28/04/2015	17:00	11:57	27/04/2015	02/05/2015	12:00	08:29
28/04/2015	29/04/2015	29/04/2015	17:00	13:27	28/04/2015	03/05/2015	12:00	11:00
29/04/2015	30/04/2015	30/04/2015	17:00	15:54	29/04/2015	04/05/2015	12:00	07:55
30/04/2015	01/05/2015	01/05/2015	17:00	15:29	30/04/2015	05/05/2015	12:00	08:29

Table 26 - Settlement Runs

12 Appendix E: Imperfections Charge

This appendix provides daily data for the Constraint Payments, Uninstructed Imbalance Payments and Imperfections Charges, and as well as the weekly values of Make Whole Payments and Testing Charges.

The following table is updated to take account of the values calculated in the Initial Settlement runs only.

Historical information will be shown in Appendix E until completion of the current financial year. Information prior to that can be found in previous Monthly Market Operator Reports.

Date	Constraints Payments	Uninstructed Imbalances Payments	Imperfections Charges
01/10/2014	€227,003.16	€4,663.19	-€497,010.43
02/10/2014	€735,796.33	-€19,882.49	-€485,485.43
03/10/2014	€614,655.29	€10,871.94	-€504,078.89
04/10/2014	€431,006.78	-€7,434.77	-€448,528.17
05/10/2014	€824,385.72	€10,977.87	-€414,125.03
06/10/2014	€656,891.36	-€20,536.24	-€496,825.27
07/10/2014	€271,569.15	€7,652.10	-€515,909.62
08/10/2014	€317,802.51	-€36,024.01	-€520,694.36
09/10/2014	€271,129.06	-€14,582.31	-€525,428.89
10/10/2014	€442,983.70	-€26,317.26	-€517,313.97
11/10/2014	€311,801.03	€11,849.83	-€473,083.86
12/10/2014	€401,470.02	-€7,407.00	-€451,034.95
13/10/2014	€353,395.99	-€24,498.55	-€513,674.01
14/10/2014	€358,013.74	-€19,066.88	-€523,546.32
15/10/2014	€428,117.82	-€853.11	-€511,064.60
16/10/2014	€310,763.65	-€12,618.38	-€513,456.78
17/10/2014	€483,353.64	-€5,253.97	-€495,989.17
18/10/2014	€1,079,153.36	€23,841.90	-€428,037.24
19/10/2014	€506,373.44	-€2,840.01	-€416,208.56
20/10/2014	€565,796.01	-€13,121.95	-€490,614.73
21/10/2014	€722,480.43	€17,262.53	-€491,996.93
22/10/2014	€622,659.96	-€35,249.53	-€515,127.40
23/10/2014	€299,585.53	€2,462.07	-€513,013.48
24/10/2014	€505,499.46	-€8,503.06	-€505,991.61
25/10/2014	€899,840.05	€24,936.45	-€439,804.29
26/10/2014	€867,189.29	-€8,010.50	-€428,234.85
27/10/2014	€739,332.30	€6,690.55	-€444,796.70
28/10/2014	€553,302.80	-€61,012.80	-€519,037.78
29/10/2014	€754,919.24	-€6,314.82	-€530,046.54
30/10/2014	€636,202.61	-€3,395.44	-€513,730.14
31/10/2014	€508,522.20	-€17,778.71	-€506,014.82
01/11/2014	€546,540.25	-€6,912.86	-€457,086.94
02/11/2014	€318,890.98	-€12,990.39	-€443,511.55
03/11/2014	€569,073.38	-€4,244.85	-€532,442.41
04/11/2014	€669,098.98	-€16,550.06	-€528,960.67
05/11/2014	€546,197.90	-€18,613.60	-€550,138.29
06/11/2014	€637,275.88	-€14,424.86	-€537,063.83
07/11/2014	€382,071.17	-€11,250.48	-€531,305.30
08/11/2014	€416,600.72	-€18,592.20	-€500,732.00
09/11/2014	€324,554.00	-€6,024.57	-€481,392.83

10/11/2014	€506,959.62	-€12,756.86	-€540,675.17
11/11/2014	€305,371.45	-€44,629.39	-€565,550.06
12/11/2014	€532,498.02	-€28,281.20	-€554,600.49
13/11/2014	€345,990.75	-€17,901.27	-€553,923.16
14/11/2014	€343,466.61	-€1,320.38	-€534,716.18
15/11/2014	€494,457.91	€3,019.64	-€499,765.88
16/11/2014	€360,376.17	€7,373.68	-€482,898.42
17/11/2014	€553,003.49	-€24,556.35	-€545,895.52
18/11/2014	€415,247.34	€4,362.82	-€543,481.42
19/11/2014	€534,047.47	-€12,653.01	-€548,548.06
20/11/2014	€548,216.05	-€26,506.42	-€571,397.50
21/11/2014	€351,743.55	-€34,277.81	-€542,644.18
22/11/2014	€402,367.39	-€15,880.02	-€504,134.67
23/11/2014	€543,674.52	-€9,757.73	-€492,515.83
24/11/2014	€436,153.86	-€3,275.68	-€568,242.69
25/11/2014	€252,433.54	-€17,224.01	-€582,837.38
26/11/2014	€268,639.50	-€6,672.97	-€590,843.52
27/11/2014	€477,133.30	-€17,221.50	-€571,833.74
28/11/2014	€514,059.40		
		-€24,958.57	-€548,216.58
29/11/2014	€466,095.46	-€17,684.09	-€518,324.65
30/11/2014	€426,493.00	€228.22	-€497,681.99
01/12/2014	€425,729.84	-€17,667.29	-€564,559.17
02/12/2014	€608,884.75	-€9,337.96	-€580,266.39
03/12/2014	€506,617.59	-€48,599.53	-€604,794.55
04/12/2014	€524,348.76	-€26,701.42	-€598,118.36
05/12/2014	€461,085.09	-€25,561.67	-€572,477.87
06/12/2014	€568,753.24	-€12,613.70	-€516,202.71
07/12/2014	€484,127.53	€2,302.13	-€486,982.31
08/12/2014	€885,938.85	-€37,551.38	-€584,787.94
09/12/2014	€718,257.00	-€19,795.27	-€567,508.60
10/12/2014	€694,745.69	-€28,671.71	-€573,652.69
11/12/2014	€523,434.14	-€5,545.19	-€588,404.70
12/12/2014	€674,997.85	-€30,954.05	-€590,328.30
13/12/2014	€574,892.66	-€14,185.39	-€545,225.54
14/12/2014	€628,744.88	-€7,460.18	-€494,683.75
15/12/2014 16/12/2014	€586,494.13	-€52,410.95	-€589,165.45
	€596,239.45 €709,290.15	-€17,823.19	-€593,950.92
17/12/2014 18/12/2014	€896,816.00	-€19,551.47	-€567,440.23
19/12/2014	€995,932.96	€2,905.28 €4,662.09	-€554,081.45 -€543,943.87
20/12/2014	€505,276.32	€4,002.03	-€543,943.87 -€510,278.41
21/12/2014	€1,032,186.15	€4,952.12	-€310,278.41 -€470,790.42
22/12/2014	€7,032,180.13	€19,779.93	-€470,790.42
23/12/2014	€580,782.79	€13,773.33	-€528,728.17 -€531,858.69
24/12/2014	€522,323.53	÷13,313.83 -€1,231.24	-€351,838.0 9 -€497,446.95
25/12/2014	€365,691.72	€1,231.24	-€464,366.17
26/12/2014	€540,788.12	-€8,172.04	-€457,472.59
27/12/2014	€540,788.12 €646,748.39	-€8,172.04 €14,909.59	-€457,472.59 -€472,798.28
28/12/2014	€607,407.31	€14,909.59	-€472,798.28
29/12/2014	€555,367.66	€7,365.97	-€497,727.79 -€524,246.05
30/12/2014	€640,363.39	€7,365.97 €14,384.93	-€524,246.05 -€505,239.86
31/12/2014	€603,204.62	€25,349.47	-€482,895.60
01/01/2015	€1,183,313.74	€22,302.55	-€482,637.80
01/01/2013	£1,103,313./4	£22,3U2.33	-5432,037.00

02/01/2015	€719,060.46	€7,180.94	-€488,863.06
03/01/2015	€347,426.55	€22,383.30	-€509,883.65
04/01/2015	€368,525.85	€17,445.50	-€492,762.63
05/01/2015	€858,552.99	-€57,810.06	-€547,249.34
06/01/2015	€846,901.18	€24,062.40	-€565,026.70
07/01/2015	€754,789.55	€18,197.44	-€553,124.60
08/01/2015	€738,052.46	€5,912.21	-€560,161.59
09/01/2015	€799,401.56	€25,467.67	-€544,123.83
10/01/2015	€471,870.80	€23,541.24	-€489,886.95
11/01/2015	€804,037.00	€7,957.03	-€475,707.54
12/01/2015	€532,334.91	-€28,660.44	-€547,621.88
13/01/2015	€657,677.89	€13,214.17	-€585,068.72
14/01/2015	€769,303.38	-€3,725.21	-€591,675.05
15/01/2015	€571,780.65	€11,193.51	-€586,646.16
16/01/2015	€716,352.94	-€13,748.94	-€590,495.78
17/01/2015	€377,678.95	€8,181.35	-€550,070.38
18/01/2015	€166,250.30	-€3,020.40	-€514,226.93
19/01/2015	€698,080.04	-€37,908.42	-€609,509.53
20/01/2015	€437,319.37	-€40,386.17	-€614,164.65
21/01/2015	€667,403.57	-€48,191.01	-€614,449.45
22/01/2015	€542,321.93	-€24,334.20	-€614,473.92
23/01/2015	€461,543.80	-€1,291.99	-€571,701.09
24/01/2015	€375,088.02	€3,285.01	-€529,114.19
25/01/2015	€370,985.65	-€4,188.67	-€329,114.19
26/01/2015	€761,148.58	-€5,809.04	-€566,069.74
27/01/2015	€496,305.71	€3,197.27	-€578,227.32
28/01/2015	€679,942.31	-€5,819.24	-€567,278.15
29/01/2015	€842,221.29	-€19,380.22	-€582,068.03
30/01/2015	€498,670.69	-€9,939.77	-€568,791.17
31/01/2015	€621,711.25	€5,481.92	-€512,025.64
01/02/2015	€465,811.18	-€7,159.85	-€522,488.66
02/02/2015	€600,896.72	-€25,058.44	-€612,427.31
03/02/2015	€622,108.61	-€646.83	-€612,448.65
04/02/2015	€680,810.77	€3,948.07	-€619,315.92
05/02/2015	€524,358.46	-€557.07	-€614,409.37
06/02/2015	€507,125.10	-€3,973.79	-€600,953.78
07/02/2015	€552,603.96	-€3,844.92	-€533,253.15
08/02/2015	€513,181.80	-€8,706.01	-€526,790.04
09/02/2015	€721,677.70	-€75,869.33	-€603,738.54
10/02/2015	€612,792.69	-€54,689.56	-€615,533.69
11/02/2015	€397,523.20	-€49,206.80	-€612,372.90
12/02/2015	€584,234.54	-€9,961.83	-€589,104.96
13/02/2015	€581,694.45	-€18,426.02	-€571,753.77
14/02/2015	€519,304.93	-€11,018.35	-€524,311.37
15/02/2015	€402,543.48	€350.55	-€482,429.93
16/02/2015	€539,037.68	-€34,021.35	-€564,140.28
17/02/2015	€542,064.44	-€575.68	-€567,853.68
18/02/2015	€602,625.88	-€7,288.26	-€546,880.62
19/02/2015	€512,519.51	€18,470.83	-€556,672.04
20/02/2015	€592,720.94	-€10,749.31	-€567,934.87
21/02/2015	€632,840.91	€17,014.71	-€511,712.83
22/02/2015	€870,894.49	€1,282.86	-€484,230.97
,,,			
23/02/2015	€674,860.17	-€5,480.97	-€557,984.41

25/02/2015	€642,952.47	-€31,481.05	-€567,195.52
26/02/2015	€488,203.62	-€68,355.71	-€541,080.48
27/02/2015	€702,055.03	-€278,358.30	-€551,568.91
28/02/2015	€763,470.11	-€156,795.83	-€490,683.19
01/03/2015	€521,607.45	-€1,843.99	-€477,581.24
02/03/2015	€574,380.29	€2,997.71	-€557,667.72
03/03/2015	€465,527.51	-€2,048.31	-€573,855.61
04/03/2015	€672,189.01	€6,050.68	-€574,853.34
05/03/2015	€652,850.86	€16,461.89	-€552,313.54
06/03/2015	€032,830.80	€10,401.89	-€526,556.29
07/03/2015			
08/03/2015	€1,025,731.02 €522,444.74	€13,689.73	-€474,408.71
09/03/2015		-€3,358.29 €13,340.73	-€467,929.55
	€788,584.21		-€530,097.21
10/03/2015	€719,928.31	€40,709.75	-€553,987.99
11/03/2015	€585,235.02	€5,483.05	-€544,302.02
12/03/2015	€621,873.73	-€7,818.95	-€556,429.84
13/03/2015	€658,937.97	-€12,692.12	-€565,741.37
14/03/2015	€513,997.92	€7,537.57	-€517,626.10
15/03/2015	€311,076.74	-€262.33	-€488,699.49
16/03/2015	€490,729.57	€17,637.03	-€560,146.36
17/03/2015	€550,876.37	€8,938.80	-€511,875.67
18/03/2015	€692,759.79	-€4,300.73	-€570,055.70
19/03/2015	€453,060.58	-€5,904.10	-€570,613.33
20/03/2015	€462,873.92	-€11,030.72	-€552,391.25
21/03/2015	€365,859.05	-€10,426.20	-€500,588.32
22/03/2015	€495,861.85	-€3,545.94	-€464,195.55
23/03/2015	€294,666.60	€24,633.51	-€526,351.50
24/03/2015	€532,310.91	€7,538.93	-€541,752.72
25/03/2015	€608,060.75	-€12,063.88	-€555,691.03
26/03/2015	€683,010.24	€2,898.03	-€534,954.70
27/03/2015	€516,305.02	€9,377.91	-€548,088.10
28/03/2015	€907,722.70	€14,362.92	-€460,979.15
29/03/2015	€899,801.32	€13,302.90	-€428,717.12
30/03/2015	€640,827.85	-€22,435.70	-€531,755.11
31/03/2015	€859,838.48	-€27,058.43	-€528,117.64
01/04/2015	€353,637.82	-€12,755.18	-€547,054.68
02/04/2015	€192,564.04	€26,214.78	-€557,637.09
03/04/2015	€553,060.03	€10,436.03	-€500,000.76
04/04/2015	€188,464.90	-€5,482.97	-€488,079.61
05/04/2015	€376,683.46	€379.94	-€449,913.28
06/04/2015	€202,881.78	€2,293.71	-€448,845.81
07/04/2015	€308,271.01	€18,476.58	-€502,814.72
08/04/2015	€302,925.86	€13,910.21	-€508,761.17
09/04/2015		/	5555/152121
10/04/2015	€388.531.87	-€28.047.02	-€507.515.49
_0,0.,_010	€388,531.87 €335.602.84	-€28,047.02 €3.276.78	-€507,515.49 -€492.195.74
11/04/2015	€335,602.84	€3,276.78	-€492,195.74
11/04/2015 12/04/2015	€335,602.84 €409,832.29	€3,276.78 €5,238.81	-€492,195.74 -€442,683.63
12/04/2015	€335,602.84 €409,832.29 €190,518.56	€3,276.78 €5,238.81 -€12,820.94	-€492,195.74 -€442,683.63 -€448,514.54
12/04/2015 13/04/2015	€335,602.84 €409,832.29 €190,518.56 €447,662.36	€3,276.78 €5,238.81 -€12,820.94 -€23,674.74	-€492,195.74 -€442,683.63 -€448,514.54 -€508,077.79
12/04/2015 13/04/2015 14/04/2015	€335,602.84 €409,832.29 €190,518.56 €447,662.36 €251,250.57	€3,276.78 €5,238.81 -€12,820.94 -€23,674.74 -€10,941.74	-€492,195.74 -€442,683.63 -€448,514.54 -€508,077.79 -€507,702.32
12/04/2015 13/04/2015 14/04/2015 15/04/2015	€335,602.84 €409,832.29 €190,518.56 €447,662.36 €251,250.57 €474,602.23	€3,276.78 €5,238.81 -€12,820.94 -€23,674.74 -€10,941.74 -€25,636.21	-€492,195.74 -€442,683.63 -€448,514.54 -€508,077.79 -€507,702.32 -€530,083.82
12/04/2015 13/04/2015 14/04/2015 15/04/2015 16/04/2015	€335,602.84 €409,832.29 €190,518.56 €447,662.36 €251,250.57 €474,602.23 €403,876.45	€3,276.78 €5,238.81 -€12,820.94 -€23,674.74 -€10,941.74 -€25,636.21 -€24,892.87	-€492,195.74 -€442,683.63 -€448,514.54 -€508,077.79 -€507,702.32 -€530,083.82 -€525,533.02
12/04/2015 13/04/2015 14/04/2015 15/04/2015	€335,602.84 €409,832.29 €190,518.56 €447,662.36 €251,250.57 €474,602.23	€3,276.78 €5,238.81 -€12,820.94 -€23,674.74 -€10,941.74 -€25,636.21	-€492,195.74 -€442,683.63 -€448,514.54 -€508,077.79 -€507,702.32 -€530,083.82

20/04/2015	€442,459.81	-€12,755.47	-€508,182.03
21/04/2015	€493,310.34	-€5,008.63	-€510,643.59
22/04/2015	€557,304.39	€2,298.79	-€506,655.91
23/04/2015	€409,459.95	-€8,601.93	-€509,587.22
24/04/2015	€506,069.75	-€1,035.74	-€507,855.55
25/04/2015	€334,715.22	€13,997.02	-€453,162.94
26/04/2015	€479,230.14	€5,427.75	-€444,641.14
27/04/2015	€405,033.18	-€2,812.88	-€504,278.12
28/04/2015	€384,277.88	€2,065.56	-€518,165.93
29/04/2015	€604,102.38	-€3,220.00	-€519,247.75
30/04/2015	€556,531.80	-€9,801.76	-€524,181.83

Table 27 - Constraint Payments, Uninstructed Imbalance Payments, and Imperfections Charges




Figure 24 - Constraint Payments, Uninstructed Imbalance Payments, and Imperfections Charges

Week No	Make Whole Payments
38	€202,188.33
39	€225,015.64
40	€280,671.13
41	€186,568.53
42	€159,900.73
43	€172,804.93
44	€117,287.97
45	€69,322.58
46	€151,346.18
47	€116,593.30
48	€89,395.20
49	€75,360.41

50	€169,324.41
51	€121,591.48
52	€55,670.15
1	€80,155.98
2	€72,635.72
3	€117,670.85
4	€162,664.95
5	€78,694.34
6	€58,735.16
7	€160,187.55
8	€132,758.27
9	€44,275.22
10	€38,818.26
11	€92,533.35
12	€117,780.87
13	€92,533.35
14	€117,780.87
15	€148,719.02
16	€83,282.89

Table 28 - Make Whole Payments




Figure 25 - Make Whole Payments

Week No	Testing Charges
39	-€64,349.25
40	-€23,212.88
41	-€8,173.18
42	-€106,220.13
43	-€106,488.24
44	-€74,217.72
45	-€13,149.01

€31,147.27
-€34,993.39
-€8,926.09
-€31,711.41
-€91,587.25
-€43,797.04
€0.00
-€69,863.70
€0
€0
€0
-€116,570.26
-€15,192.63
-€9,394.34
-€56,342.39
-€76,534.54
-€86,286.41
-€75,941.02
€0.00
-€75,941.02
€0.00
€0.00
€0.00

Table 29 - Testing Charges




Figure 26 - Testing Charges

13 Appendix F: Default Commercial Offer Data Used

The table below lists for each unit the number of times in operations during February 2015 where the Commercial Offer Data was based on a Participant submission within the Market window, or based on Standing Data or Default Data submitted.

PNAME	RNAME	Manual	Adjusted	Standing	COUNT
PT_400090	DSU_401620		-	30	30
PT 400138	DSU 401590	30			30
PT 400090	DSU 401610	1			1
PT 400090	DSU 401610			29	29
PT 400116	DSU 401400	30			30
PT 400111	DSU 401390			14	14
PT 400106	DSU 401330	42			42
PT 400090	DSU 401270	30			30
PT 400111	DSU 401390	16			16
PT 400133	DSU 401530			30	30
PT 400124	DSU 401490	30			30
PT 400024	GU 400120	30			30
PT 400024	GU 400121	30			30
PT 400026	GU 400140	30			30
PT_400030	GU_400180	45			45
PT_400030	GU_400181	46			46
PT_400030	GU_400182	46			46
PT_400030	GU_400183	42			42
PT 400030	GU 400200	42			42
PT 400030	GU 400201	44			44
PT_400030	GU_400202	43			43
PT_400030	GU_400203	45			45
PT_400030	GU_400210	41			41
PT_400030	GU_400211	42			42
PT_400030	GU_400220	41			41
PT_400030	GU_400221	41			41
PT_400030	GU_400240	41			41
PT_400030	GU_400250	41			41
PT_400030	GU_400251	41			41
PT_400030	GU_400252	41			41
PT_400030	GU_400260	41			41
PT_400030	GU_400270	42			42
PT_400030	GU_400271	43			43
PT_400030	GU_400272	45			45
PT_400030	GU_400280	41			41
PT_400030	GU_400281	41			41
PT_400030	GU_400290	41			41
PT_400030	GU_400300	46			46
PT_400030	GU_400311	46			46
PT_400030	GU_400323	46			46
PT_400030	GU_400360	41			41
PT_400030	GU_400361	41			41
PT_400030	GU_400362	41			41
PT_400030	GU_400363	41			41
PT_400030	GU_400370	41			41
PT_400030	GU_400850	46			46

PT 400032	GU 400430	30	30
PT 400034	GU 400940	30	30
PT 400034	GU 401090	30	30
PT 400034	GU 401440	30	30
PT_400035	GU 400480	49	49
PT 400037	GU 400500	30	30
PT 400041	GU 400530	52	52
PT 400044	GU 400540	49	49
PT 400050	GU 401280	17	17
PT_400054	GU_400620	30	30
PT 400055	GU_400630	30	30
PT 400064	GU 400750	30	30
PT 400064	GU 400751	30	30
PT 400064	GU 400752	30	30
PT 400064	GU 400753	30	30
PT 400064	GU 400754	21	21
PT 400064	GU 400760	21	21
PT 400064	GU 400761	29	29
PT_400064	GU 400762	26	26
PT 400064	GU 400770	30	30
PT 400064	GU 400771	30	30
PT 400064	GU 400780	30	30
PT 400064	GU 400781	30	30
PT_400075	GU 400930	78	78
PT 400077	GU 400950	30	30
PT 400078	GU 401010	30	30
PT 400078	GU 401011	30	30
PT_400087	GU 401230	12	12
PT 400150	GU 401700	8	8
PT 400151	GU 401780	3	3
PT 500024	GU 500040	46	46
PT 500024	GU 500041	30	30
PT_500027	GU_500130	81	81
PT_500027	GU_500131	81	81
PT_500027	GU_500140	81	81
PT 500032	GU_501280	22	22
PT 500040	GU 500280	30	30
PT 500040	GU 500281	30	30
PT 500040	GU_500282	30	30
PT_500040	GU 500283	30	30
PT 500040	GU 500284	30	30
PT_500045	GU_500820	30	30
PT_500045	GU_500821	30	30
PT 500045	GU 500822	30	30
PT_500045	GU_500823	30	30
PT_500045	GU_500824	30	30
PT_500045	GU_500825	30	30
PT_500048	GU_500904	50	50
PT_500050	GU_501040	30	30
PT_500050	GU_501050	30	30
PT_500050	GU_501150	30	30
PT_500050	GU_501190	30	30
PT_500053	GU_501130	30	30
PT_500066	GU_501210	30	30
•	•		

PT_400021 GU_400060 30 30 30 PT_400021 GU_400060 30 30 30 PT_400021 GU_400591 30 30 30 9T_400021 GU_400910 30 30 30 9T_400021 GU_401080 30 30 30 9T_400025 GU_400130 30 30 9T_400025 GU_400130 30 30 30 9T_400025 GU_400130 30 30 30 9T_400025 GU_400130 30 30 30 9T_400025 GU_400650 30 30 30 9T_400050 GU_400650 30 30 30 9T_400050 GU_400660 30 30 30 9T_400050 GU_401060 30 30 30 9T_400050 GU_401150 30 30 30 9T_400050 GU_401150 30 30 30 9T_400050 GU_401250 30 30 30 9T_400064 GU_400730 30 30 30 9T_400064 GU_400730 30 30 30 9T_400064 GU_400730 30 30 30 9T_400064 GU_400760 10 10 10 9T_400064 GU_400760 30 30 30 9T_400065 GU_401700 30 30 30 9T_400066 GU_400760 10 10 10 9T_400066 GU_400760 10 30 30 30 9T_400065 GU_400760 10 30 30 30 9T_4	PT 400021	GU 400021	30	30
PT_400021 GU_400070 GU_400070 GU_400070 GU_400070 GU_400070 GU_400070 GU_400070 GU_400070 GU_400070 GU_400021 GU_400080 GU_400080 GU_400021 GU_400600 GU_400021 GU_400600 GU_400021 GU_400900 GU_400021 GU_400920 GU_400021 GU_400920 GU_400021 GU_401080 GU_401080 GU_400021 GU_401080 GU_401080 GU_400021 GU_401080 GU_4001080 GU_400		_		
PT_400021 GU_400080 30 30 30 PT_400021 GU_400080 30 30 30 PT_400021 GU_400910 30 30 30 PT_400021 GU_400910 30 30 30 PT_400021 GU_400910 30 30 30 PT_400021 GU_400920 30 30 30 PT_400021 GU_400920 30 30 30 PT_400021 GU_40180 30 30 30 PT_400021 GU_401600 30 30 30 PT_400022 GU_40130 30 30 PT_400022 GU_400130 30 30 PT_400025 GU_400130 30 30 PT_400030 GU_400310 30 30 PT_400030 GU_400550 30 30 PT_400050 GU_400660 30 30 PT_400050 GU_400660 30 30 PT_400050 GU_401606 30 30 PT_400050 GU_401606 30 30 PT_400050 GU_401606 30 30 PT_400050 GU_401606 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401360 30 30 PT_400050 GU_401360 30 30 PT_400060 GU_40130 30 GU_40030 30 GU_40030 30 GU_40030 30 G		_	30	30
PT_400021 GU_40080 30 30 30 PT_400021 GU_400591 30 30 30 PT_400021 GU_400900 30 30 PT_400021 GU_400910 30 30 PT_400021 GU_400910 30 30 30 PT_400021 GU_400920 30 30 30 PT_400021 GU_40180 30 30 30 PT_400021 GU_40180 30 30 30 PT_400021 GU_401600 30 30 30 PT_400021 GU_401640 30 30 30 PT_400021 GU_401640 30 30 30 PT_400021 GU_401640 30 30 30 PT_400025 GU_400130 30 30 PT_400030 GU_400310 30 30 PT_400030 GU_400550 30 30 PT_400050 GU_400550 30 30 PT_400050 GU_400650 30 30 PT_400050 GU_401600 30 30 PT_400050 GU_401600 30 30 PT_400050 GU_401600 30 30 PT_400050 GU_401180 30 30 PT_400060 GU_400730 30 30 PT_400060 GU_400730 30 30 PT_400060 GU_400781 30 30 PT_400060 GU_400760 30 30 PT_400060 GU_400760 30 30 PT_400060 GU_400760 30 30 PT_400162 GU_400760 30 30 PT_500021 GU_50010 30 30 PT_500022 GU_50010 30 30 PT_500022 GU_50010 30 30 PT_500022 GU_50010 30 30 PT_5000023 GU_500700 30		_		
PT_400021 GU_400591 30 30 30 PT_400021 GU_400600 30 30 30 PT_400021 GU_400910 30 30 30 PT_400021 GU_400920 30 30 30 PT_400021 GU_401800 30 30 30 PT_400021 GU_401800 30 30 30 PT_400021 GU_401600 30 30 30 PT_400021 GU_401600 30 30 30 PT_400021 GU_401600 30 30 30 PT_400022 GU_401640 30 30 30 PT_400025 GU_400130 30 30 PT_400030 GU_400310 30 30 PT_400030 GU_400310 30 30 PT_400050 GU_400650 30 30 PT_400050 GU_400660 30 30 PT_400050 GU_401600 30 30 PT_400050 GU_401200 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401250 30 30 PT_400060 GU_401250 30 30 PT_400060 GU_401250 30 30 PT_400060 GU_400731 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400731 30 30 PT_400064 GU_400754 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400150 GU_401100 30 30 PT_400150 GU_401100 30 30 30 PT_400150 GU_401700 30 30 PT_400152 GU_401170 30 30 30 PT_400152 GU_401700 30 30 PT_500021 GU_501160 30 30 PT_500021 GU_501160 30 30 30 PT_500021 GU_501160 30 30 PT_500021 GU_501160 30 30 30 PT_500021 GU_501160 30 30 PT_500021 GU_501160 30 30 PT_500022 GU_501120 30 30 PT_500022 GU_501120 30 30 PT_500022 GU_501120 30 30 PT_500023 GU_500120 30 30 PT		_		
PT_400021 GU_400910 30 30 30 PT_400021 GU_400910 30 30 30 PT_400021 GU_400920 30 30 30 PT_400021 GU_40180 30 30 30 PT_400021 GU_40180 30 30 30 PT_400021 GU_40180 30 30 30 PT_400021 GU_401640 30 30 30 PT_400021 GU_401640 30 30 30 PT_400021 GU_401640 30 30 30 PT_400025 GU_400130 30 30 PT_400030 GU_400550 30 30 PT_400030 GU_400550 30 30 PT_400050 GU_400660 30 30 30 PT_400050 GU_400660 30 30 30 PT_400050 GU_401600 30 30 30 PT_400050 GU_401240 30 30 30 PT_400050 GU_401240 30 30 30 PT_400050 GU_401240 30 30 30 PT_400050 GU_401250 30 30 30 PT_400050 GU_401260 30 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400764 10 10 PT_400064 GU_400760 10 10 PT_400065 GU_401700 223 23 PT_400151 GU_401700 30 30 30 PT_400152 GU_401700 30 30 30 PT_400152 GU_401700 30 30 30 PT_400152 GU_401700 30 30 PT_500021 GU_500140 30 30 PT_5000021 GU_500140 30 30 PT_5000021 GU_500140 30 30 PT_50		_		
PT_400021 GU_400910 30 30 30 PT_400021 GU_400920 30 30 30 PT_400021 GU_400180 30 30 30 PT_400021 GU_401380 30 30 30 PT_400021 GU_401600 30 30 30 PT_400021 GU_401600 30 30 30 PT_400025 GU_400130 30 30 PT_400025 GU_400130 30 30 PT_400038 GU_400550 30 30 PT_400038 GU_400550 30 30 PT_400050 GU_400650 30 30 PT_400050 GU_400660 30 30 30 PT_400050 GU_401600 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401250 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 PT_400064 GU_400734 30 30 PT_400064 GU_400754 10 10 PT_400064 GU_400761 1 1 PT_400064 GU_400760 10 10 PT_400064 GU_400761 1 1 1 PT_400068 GU_401230 19 19 PT_400068 GU_401700 30 30 30 PT_400062 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400068 GU_401700 30 30 30 PT_400152 GU_401700 30 30 30 PT_400152 GU_401700 30 30 PT_400152 GU_401700 30 30 PT_400152 GU_401700 30 30 PT_500021 GU_500140 30 30 PT_5000021 GU_500140 30 30 PT_5000021 GU_500140 30 30 PT_5000021 GU_5001		_		
PT_400021 GU_401080 30 30 30 PT_400021 GU_401080 30 30 30 PT_400021 GU_401600 30 30 30 PT_400021 GU_401600 30 30 30 PT_400021 GU_401640 30 30 30 PT_400025 GU_400130 30 30 PT_400030 GU_400310 30 30 PT_400030 GU_400310 30 30 PT_400030 GU_400550 30 30 PT_400050 GU_400660 30 30 PT_400050 GU_400660 30 30 PT_400050 GU_401600 30 30 PT_400050 GU_401600 30 30 PT_400050 GU_401600 30 30 PT_400050 GU_401150 30 30 PT_400050 GU_401150 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401250 30 30 PT_400060 GU_401250 30 30 PT_400060 GU_401250 30 30 PT_400060 GU_401250 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400730 30 30 PT_400064 GU_400754 10 10 PT_400064 GU_400761 10 10 PT_400064 GU_400761 11 1 1 PT_400064 GU_400761 11 1 1 PT_400064 GU_400762 4 4 4 4 PT_400150 GU_401700 23 23 PT_400152 GU_401700 23 23 PT_400152 GU_401770 30 30 30 PT_400152 GU_401700 23 23 PT_400152 GU_401700 23 23 PT_400152 GU_401700 30 30 PT_500021 GU_501760 30 30 30		_		
PT_400021 GU_401080 30 30 30 PT_400021 GU_401080 30 30 30 PT_400021 GU_401600 30 30 30 PT_400021 GU_401640 30 30 30 PT_400025 GU_400130 30 30 PT_400030 GU_400310 30 30 PT_400038 GU_400550 30 30 PT_400050 GU_400660 30 30 PT_400050 GU_400660 30 30 PT_400050 GU_401000 30 30 PT_400050 GU_401000 30 30 PT_400050 GU_401000 30 30 PT_400050 GU_401000 30 30 PT_400050 GU_401150 30 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401260 30 30 PT_400050 GU_401260 30 30 PT_400050 GU_401260 30 30 PT_400050 GU_401290 30 30 PT_400050 GU_401360 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400731 30 30 PT_400064 GU_400754 10 10 PT_400064 GU_400760 10 10 PT_400065 GU_401700 23 23 PT_400150 GU_401700 23 23 PT_400152 GU_401700 23 23 PT_400152 GU_401700 23 23 PT_400152 GU_401700 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_501160 30 30 PT_500022 GU_501160 30 30 PT_500032 GU_501160 30 30 PT_500032 GU_501290 30 30 30 PT_500032 GU_501290 30 30 30 PT_500032 GU_501290 30 30 30		_		
PT_400021 GU_401380 30 30 ST PT_400021 GU_401600 30 30 30 PT_400021 GU_401640 30 30 30 PT_400025 GU_400130 30 30 PT_400030 GU_400310 30 30 PT_400030 GU_400550 30 30 PT_400050 GU_400660 30 30 PT_400050 GU_400660 30 30 PT_400050 GU_401000 30 30 PT_400050 GU_401600 30 30 PT_400050 GU_40160 30 30 PT_400050 GU_40160 30 30 PT_400050 GU_40150 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401360 30 30 PT_400060 GU_401360 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400730 30 30 PT_400064 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400762 4 4 PT_400064 GU_400762 4 4 PT_400065 GU_401700 30 30 PT_400150 GU_401100 30 30 PT_400150 GU_401100 30 30 PT_400152 GU_401700 23 23 PT_400152 GU_401700 23 23 PT_400152 GU_401700 30 30 PT_500021 GU_501160 30 30 PT_500021 GU_501160 30 30 PT_500032 GU_501290 30 30 PT_5000044 GU_500720 30 30 PT_5000047 GU_500720 30 30 PT_500047 GU_500720 30 30 PT_5		_		
PT_400021 GU_401600 30 30 30 PT_400025 GU_400130 30 30 30 PT_400030 GU_400310 30 30 30 PT_400030 GU_400550 30 30 30 PT_400050 GU_400660 30 30 30 PT_400050 GU_400660 30 30 30 PT_400050 GU_401060 30 30 PT_400050 GU_401060 30 30 PT_400050 GU_401600 30 30 PT_400050 GU_401600 30 30 PT_400050 GU_40150 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401290 30 30 PT_400050 GU_401360 30 30 PT_400050 GU_401360 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400731 30 30 PT_400064 GU_400754 10 10 PT_400064 GU_400760 10 10 10 PT_400065 GU_401700 30 30 30 PT_400152 GU_401700 30 30 30 PT_400152 GU_401700 30 30 30 PT_400152 GU_401700 30 30 PT_400152 GU_401700 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500160 30 30 PT_500021 GU_500160 30 30 PT_500032 GU_501280 9 9 9 PT_500032 GU_501280 9 9 9 PT_500032 GU_501280 9 9 9 PT_500034 GU_500790 30 30 PT_500047 GU_500790 30 30 PT_500047 GU_500790 30 30 PT_500047 GU_500790 30 30 TT_500047 GU_500790		_		
PT_400021 GU_401640 30 30 30 PT_400025 GU_400130 30 30 30 30 PT_400030 GU_400550 30 30 30 PT_400050 GU_400650 30 30 30 PT_400050 GU_400660 30 30 30 PT_400050 GU_401000 30 30 30 PT_400050 GU_401000 30 30 PT_400050 GU_401060 30 30 PT_400050 GU_401150 30 30 30 PT_400050 GU_401240 30 30 9T_400050 GU_401250 30 30 30 PT_400050 GU_401360 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400754 10 10 PT_400064 GU_400764 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400762 4 4 4 PT_400064 GU_400762 4 4 4 PT_400082 GU_401230 19 19 PT_400152 GU_401700 23 23 23 PT_400152 GU_401700 23 23 23 PT_400152 GU_401700 23 23 23 PT_400152 GU_401700 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_500740 30 30 PT_500032 GU_501160 9 9 9 PT_500032 GU_501280 9 9 9 PT_500032 GU_501280 9 9 9 PT_500032 GU_501280 9 9 9 PT_500034 GU_500720 30 30 PT_500047 GU_500720 30 30 PT_500047 GU_500720 30 30 PT_500047 GU_500720 30 30 TT_500047 GU_500720 30 30 TT_500047 GU_500720 30 30 TT_500047 GU_500720		_		
PT_400025 GU_400130 30 30 30 PT_400030 GU_400550 30 30 30 30 PT_400050 GU_400650 30 30 30 PT_400050 GU_400660 30 30 30 PT_400050 GU_401000 30 30 PT_400050 GU_401000 30 30 PT_400050 GU_401150 30 30 30 PT_400050 GU_401150 30 30 30 PT_400050 GU_401150 30 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401250 30 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401360 30 30 PT_400050 GU_401360 30 30 PT_400050 GU_401360 30 30 PT_400050 GU_401360 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400764 10 10 PT_400064 GU_400764 10 10 PT_400064 GU_400764 11 10 PT_400064 GU_400761 11 10 PT_400064 GU_400762 44 44 PT_400064 GU_400762 44 44 PT_400064 GU_400762 44 44 PT_400064 GU_400762 44 44 PT_400064 GU_400760 30 30 PT_400082 GU_401100 30 30 PT_400148 GU_401700 30 30 PT_400152 GU_401770 30 30 30 PT_400152 GU_401770 30 30 PT_400152 GU_401710 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401760 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500140 30 30 PT_500021 GU_500140 30 30 PT_500021 GU_500140 30 30 PT_500022 GU_500140 30 30 PT_500032 GU_501120 30 30 PT_500032 GU_501280 9 9 9 PT_500032 GU_501280 9 9 PT_500034 GU_500720 30 30 PT_500044 GU_500720 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500720 30 30 PT_500047 GU_500720 30 30 PT_500047 GU_500720 30 30 PT_500047 GU_500720 30 30 30 PT_500047 GU_500720 30 30 30 PT_500047 GU_500720 30 30 30 PT_500047 GU_500720 30 30 PT_5000		_		
PT_400030 GU_400310 30 30 30 30 30 30 30		_		
PT_400038 GU_400550 30 30 30 PT_400050 GU_400660 30 30 30 30 PT_400050 GU_401000 30 30 30 PT_400050 GU_401000 30 30 30 PT_400050 GU_401060 30 30 30 PT_400050 GU_401150 30 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401240 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401250 30 30 PT_400050 GU_401290 30 30 PT_400050 GU_401290 30 30 PT_400050 GU_401290 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400740 30 30 PT_400064 GU_400760 10 10 10 PT_400064 GU_400760 10 10 10 PT_400064 GU_400760 10 10 10 PT_400064 GU_400762 4 4 4 PT_400084 GU_400760 10 10 10 TT_400084 GU_400762 4 4 4 TT_400084 GU_400762 GU_400084 GU_500084 GU_		_	30	30
PT_400050 GU_400650 30 30 30 PT_400050 GU_400660 30 30 30 30 30 PT_400050 GU_401000 30 30 30 30 PT_400050 GU_401150 30 30 30 PT_400050 GU_401150 30 30 30 PT_400050 GU_401150 30 30 30 PT_400050 GU_401240 30 30 30 PT_400050 GU_401250 30 30 30 PT_400050 GU_401290 30 30 PT_400050 GU_401360 30 30 PT_400050 GU_401360 30 30 PT_400050 GU_401360 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 30 PT_400062 GU_400731 30 30 30 PT_400062 GU_400754 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400762 4 4 4 PT_400087 GU_401230 19 19 PT_400184 GU_401700 30 30 30 PT_400152 GU_401700 30 30 PT_400152 GU_401700 30 30 PT_400152 GU_401710 30 30 PT_400152 GU_401710 30 30 PT_400152 GU_401770 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_500740 30 30 PT_500032 GU_500120 9 9 9 PT_500032 GU_501280 9 9 9 PT_500032 GU_501280 9 9 9 PT_500034 GU_500720 30 30 30 PT_500047 GU_500790 30 30 30 PT_500047 GU_500790 30 30 30 PT_500047 GU_500790 30 30 TT_500047 G				
PT_400050 GU_400660 30 30 30 30 PT_400050 GU_401060 30 30 30 30 PT_400050 GU_401060 30 30 30 30 30 PT_400050 GU_401150 30 30 30 PT_400050 GU_401240 30 30 30 PT_400050 GU_401250 30 30 30 PT_400050 GU_401290 30 30 30 PT_400050 GU_401360 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 30 PT_400062 GU_400731 30 30 30 PT_400062 GU_400731 30 30 30 PT_400062 GU_400761 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400760 11 1 1 1 PT_400064 GU_400760 4 4 4 4 4 4 4 4 4		_		
PT_400050 GU_401000 30 30 30 30 PT_400050 GU_401060 30 30 30 30 PT_400050 GU_401150 30 30 30 30 PT_400050 GU_401240 30 30 30 PT_400050 GU_401250 30 30 30 PT_400050 GU_401250 30 30 30 PT_400050 GU_401290 30 30 30 PT_400050 GU_401360 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400741 30 30 30 PT_400062 GU_400754 10 10 10 PT_400064 GU_400754 10 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400761 1 1 1 PT_400064 GU_400761 1 1 1 PT_400064 GU_400762 4 4 4 PT_400062 GU_401100 30 30 30 PT_400150 GU_401230 19 19 19 PT_400150 GU_401700 23 23 23 PT_400150 GU_401700 23 23 23 PT_400151 GU_401770 30 30 30 PT_400152 GU_401710 30 30 30 PT_400152 GU_401720 30 30 PT_400152 GU_401750 30 30 PT_400152 GU_401760 30 30 PT_400152 GU_401760 30 30 PT_400152 GU_401760 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_500740 30 30 PT_500022 GU_500211 30 30 PT_500032 GU_501280 9 9 9 PT_500032 GU_5001280 9 9 9 PT_500032 GU_500120 30 30 PT_500032 GU_500120 30 30 PT_500034 GU_500720 30 30 PT_500044 GU_500720 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500720 30 30 PT_500047 GU_500720 30 30 PT_500047 GU_500720 30 30 PT_500047 GU_500720 30 30 30 PT_500047 GU_500720 30 30 TT_500047 GU_500720 30		_		
PT_400050 GU_401060 30 30 30 PT_400050 GU_401150 30 30 30 30 PT_400050 GU_401240 30 30 30 30 PT_400050 GU_401250 30 30 30 PT_400050 GU_401290 30 30 30 PT_400050 GU_401360 30 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400741 30 30 30 PT_400062 GU_400764 10 10 10 PT_400064 GU_400764 10 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400761 1 1 1 PT_400064 GU_400762 4 4 4 4 4 4 4 4 4		_		
PT_400050 GU_401150 30 30 30 PT_400050 GU_401240 30 30 30 30 PT_400050 GU_401250 30 30 30 PT_400050 GU_401290 30 30 30 PT_400050 GU_401360 30 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400754 10 10 10 PT_400064 GU_400754 10 10 10 PT_400064 GU_400760 10 10 10 PT_400064 GU_400760 11 1 1 PT_400064 GU_400762 4 4 4 4 PT_400064 GU_400762 4 4 4 4 PT_400082 GU_401100 30 30 30 PT_400164 GU_401230 19 19 19 19 19 19 19 1				
PT_400050 GU_401240 30 30 30 PT_400050 GU_401250 30 30 30 30 PT_400050 GU_401250 30 30 30 30 PT_400050 GU_401290 30 30 30 PT_400062 GU_400730 30 30 30 PT_400062 GU_400731 30 30 30 PT_400062 GU_400840 30 30 PT_400064 GU_400754 10 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400761 1 1 1 1 1 1 1 1 1				
PT_400050 GU_401250 30 30 30 PT_400050 GU_401290 30 30 30 PT_400050 GU_401290 30 30 30 PT_400050 GU_401360 30 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400840 30 30 PT_400064 GU_400754 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400762 4 4 4 PT_400082 GU_401000 30 30 PT_400082 GU_401100 30 30 PT_400087 GU_401100 30 30 PT_400087 GU_401700 23 23 23 PT_400150 GU_401770 30 30 PT_400152 GU_401770 30 30 PT_400152 GU_401720 30 30 PT_400152 GU_401720 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401740 30 30 PT_500021 GU_50010 GU_50010 30 PT_500021 GU_50010 GU_50010 GU_50020 GU_500211 30 30 PT_500032 GU_501160 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_500120 GU_500720 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500720 30 30 GU_500740 30 30 PT_500047 GU_500720 30 30 GU_500740 30 30 PT_500047 GU_500720 30 30 GU_500740 30 30 GU_5007		_		
PT_400050 GU_401290 30 30 PT_400050 GU_401360 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 PT_400064 GU_400754 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400761 1 1 PT_400084 GU_400762 4 4 PT_400082 GU_401100 30 30 PT_400148 GU_401230 19 19 PT_400148 GU_401700 30 30 PT_400150 GU_401700 23 23 PT_400151 GU_401700 30 30 PT_400152 GU_401710 30 30 PT_400152 GU_401700 30 30 PT_400152 GU_401700 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401740 30 30				
PT_400050 GU_401360 30 30 PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 PT_400064 GU_400754 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400761 1 1 PT_400084 GU_400762 4 4 PT_400087 GU_401100 30 30 PT_400087 GU_401230 19 19 PT_400158 GU_401700 23 23 PT_400150 GU_401700 30 30 PT_400151 GU_401700 30 30 PT_400152 GU_401770 30 30 PT_400152 GU_401720 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401750 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30		_		
PT_400062 GU_400730 30 30 PT_400062 GU_400731 30 30 PT_400062 GU_400840 30 30 PT_400064 GU_400754 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400762 4 4 PT_400082 GU_401100 30 30 PT_400087 GU_401230 19 19 PT_400148 GU_401690 30 30 PT_400150 GU_401770 30 30 PT_400151 GU_401770 30 30 PT_400152 GU_401770 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401750 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30				
PT_400062 GU_400731 30 30 PT_400062 GU_400840 30 30 PT_400064 GU_400754 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400762 4 4 PT_400082 GU_401100 30 30 PT_400087 GU_401230 19 19 PT_400188 GU_401690 30 30 PT_400150 GU_401700 23 23 PT_400151 GU_401770 30 30 PT_400152 GU_401770 30 30 PT_400152 GU_401720 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500160 30 30 PT_500032 GU_501120 30 30		_		
PT_400062 GU_400840 30 30 PT_400064 GU_400754 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400761 1 1 1 PT_400064 GU_400762 4 4 4 PT_400082 GU_401100 30 30 PT_400087 GU_401230 19 19 PT_400148 GU_401700 23 23 PT_400150 GU_401700 23 23 PT_400151 GU_401770 30 30 PT_400152 GU_401710 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401750 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500010 30 30 PT_500032 GU_501160 30		_		
PT_400064 GU_400754 10 10 PT_400064 GU_400760 10 10 PT_400064 GU_400761 1 1 PT_400064 GU_400762 4 4 PT_400082 GU_401100 30 30 PT_400087 GU_401230 19 19 PT_400148 GU_401690 30 30 PT_400150 GU_401700 23 23 PT_400151 GU_401770 30 30 PT_400152 GU_401710 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401750 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500010 30 30 PT_500022 GU_501160 30 30 PT_500032 GU_501200 30 30		_		
PT_400064 GU_400760 10 10 PT_400064 GU_400761 1 1 1 PT_400064 GU_400762 4 4 4 PT_400082 GU_401100 30 30 30 PT_400087 GU_401230 19 19 19 PT_400148 GU_401690 30 30 30 PT_400150 GU_401700 23 23 23 PT_400151 GU_401770 30 30 30 PT_400152 GU_401710 30 30 30 PT_400152 GU_401720 30 30 30 PT_400152 GU_401730 30 30 30 PT_400152 GU_401740 30 30 30 PT_400152 GU_401750 30 30 30 PT_500052 GU_401760 30 30 30 PT_500021 GU_500010 30 30 30 PT_5000221 GU_500160 <td< td=""><td></td><td>_</td><td></td><td></td></td<>		_		
PT_400064 GU_400762 1 2 2 2		_		
PT_400082 GU_401100 30 30 PT_400087 GU_401230 19 19 PT_400148 GU_401690 30 30 PT_400150 GU_401700 23 23 PT_400151 GU_401770 30 30 PT_400152 GU_401710 30 30 PT_400152 GU_401720 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401750 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30 PT_500032 GU_501160 30 30 PT_500032 GU_50120 30 30 PT_500032 GU_501280 9 9 PT_500039 GU_501290 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_400064	GU_400761		
PT_400087 GU_401230 19 19 PT_400148 GU_401690 30 30 PT_400150 GU_401700 23 23 PT_400151 GU_401770 30 30 PT_400152 GU_401710 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401760 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30 PT_500032 GU_501160 30 30 PT_500032 GU_50120 30 30 PT_500032 GU_501280 9 9 PT_500039 GU_501290 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_400064	GU_400762	4	4
PT_400148 GU_401700 30 30 PT_400150 GU_401700 23 23 PT_400151 GU_401770 30 30 PT_400152 GU_401710 30 30 PT_400152 GU_401720 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_501160 30 30 PT_500032 GU_501120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_400082	GU_401100	30	30
PT_400148 GU_401690 30 30 PT_400150 GU_401700 23 23 PT_400151 GU_401770 30 30 PT_400152 GU_401710 30 30 PT_400152 GU_401720 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401750 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30 PT_500032 GU_501160 30 30 PT_500032 GU_50120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_400087	GU_401230	19	19
PT_400151 GU_401770 30 30 PT_400152 GU_401710 30 30 PT_400152 GU_401720 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401750 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_501160 30 30 PT_500032 GU_50120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501280 9 9 PT_500039 GU_501290 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30		GU_401690	30	30
PT_400152 GU_401710 30 30 PT_400152 GU_401720 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401750 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_501160 30 30 PT_500032 GU_50120 30 30 PT_500032 GU_50120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_400150	GU_401700	23	23
PT_400152 GU_401720 30 30 PT_400152 GU_401730 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401750 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_501160 30 30 PT_500032 GU_50120 30 30 PT_500032 GU_501120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_400151	GU_401770	30	30
PT_400152 GU_401730 30 30 PT_400152 GU_401740 30 30 PT_400152 GU_401750 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_501160 30 30 PT_500032 GU_500211 30 30 PT_500032 GU_501120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_400152	GU_401710	30	30
PT_400152 GU_401740 30 30 PT_400152 GU_401750 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_501160 30 30 PT_500032 GU_500211 30 30 PT_500032 GU_501120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_400152	GU_401720	30	30
PT_400152 GU_401750 30 30 PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_501160 30 30 PT_500032 GU_500211 30 30 PT_500032 GU_501120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_400152	GU_401730	30	30
PT_400152 GU_401760 30 30 PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_501160 30 30 PT_500032 GU_500211 30 30 PT_500032 GU_501120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_400152	GU_401740	30	30
PT_500021 GU_500010 30 30 PT_500021 GU_500740 30 30 PT_500021 GU_501160 30 30 PT_500032 GU_500211 30 30 PT_500032 GU_501120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_400152	GU_401750	30	30
PT_500021 GU_500740 30 30 PT_500021 GU_501160 30 30 PT_500032 GU_500211 30 30 PT_500032 GU_501120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_400152	GU_401760	30	30
PT_500021 GU_501160 30 30 PT_500032 GU_500211 30 30 PT_500032 GU_501120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_500021	GU_500010	30	30
PT_500032 GU_500211 30 30 PT_500032 GU_501120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_500021	GU_500740	30	30
PT_500032 GU_501120 30 30 PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_500021	GU_501160	30	30
PT_500032 GU_501280 9 9 PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_500032	GU_500211	30	30
PT_500032 GU_501290 30 30 PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_500032	GU_501120	30	30
PT_500039 GU_500270 30 30 PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_500032	GU_501280	9	9
PT_500044 GU_500720 30 30 PT_500047 GU_500790 30 30	PT_500032	GU_501290	30	30
PT_500047 GU_500790 30 30	PT_500039	GU_500270	30	30
	PT_500044	GU_500720	30	30
PT_500061 GU_501170 30 30	PT_500047	GU_500790	30	30
	PT_500061	GU_501170	30	30

Market Operator Monthly Report

	Percentage	71.47%	0.00%	28.53%	100.00%
	Total	4206	0	1679	5885
PT_400030	I_ROIEWIC	40			40
PT_400099	I_ROIEWIC	30			30
PT_400108	I_ROIEWIC	65			65
PT_500070	I_NIMOYLE	68			68
PT_400136	I_ROIEWIC	66			66
PT_400115	I_ROIEWIC	30			30
PT_400113	I_ROIEWIC	30			30
PT_500037	I_NIMOYLE	30			30
PT_400096	I_ROIEWIC	88			88
PT_500058	I_NIMOYLE	30			30
PT_500069	I_NIMOYLE	89			89
PT_500031	I_NIMOYLE	30			30
PT_500021	I_NIMOYLE	30			30
PT_500024	I_NIMOYLE	37			37
PT_500075	I_NIMOYLE	73			73
PT_400021	I_ROIEWIC	30			30
PT_500074	GU_501250			30	30
PT_500073	GU_501230			30	30
PT_500062	GU_501180			30	30

Table 30 – Default Commercial Data Used

14 Appendix G: Total Charges and Payments Data

The tables below list historical values for Total Charges and Total Payments in the SEM by month and currency since start of the SEM.

- Month of inclusion based on invoice date.
- Amounts are after application of Settlement Reallocation.

Market		Energy	Capacity	Market Operator	M+4 Energy	M+4 Capacity	M+4 Market Operator	M+13 Energy	M+13 Capacity	M+13 Market Operator	Ad-hoc Energy	Ad-hoc Capacity	Ad-hoc Market Operator	Total
Nov-13	ROI	£94,237,410.27	£26,111,830.04	£1,768,924.89	£1,095,479.88	£186,255.41	£10,667.03	£1,203,541.15	£58,436.00	£1,881.53	£2,162,845.35	£0.00	£0.00	126,837,271.55
1404-13	NI	£40,120,956.32	£9,383,627.04	£512,345.05	£79,171.25	£13,455.28	£753.82	£304,333.70	£18,778.73	£614.32	£591,913.98	£0.00	£0.00	51,025,949.49
Dec-13	ROI	£59,731,699.86	£27,864,400.43	£1,135,385.04	£777,997.00	£175,711.33	£8,515.85	£874,795.89	£44,746.05	£1,825.43	£0.00	£0.00	£0.00	90,615,076.88
Det-13	NI	£26,108,999.75	£9,220,782.35	£325,646.22	£58,193.58	£77,917.35	£571.58	£137,253.25	£14,599.87	£487.47	£0.00	£0.00	£0.00	35,944,451.42
Jan-14	ROI	£114,421,340.65	£24,793,160.86	£2,129,762.27	£798,055.27	£127,352.61	£7,984.34	£204,139.96	£36,418.59	£1,561.86	£473,584.35	£0.00	£0.00	142,993,360.76
Jan-14	NI	£51,824,850.54	£9,142,377.84	£617,870.56	£62,006.75	£10,003.11	£595.49	£67,335.86	£14,491.45	£574.85	£141,821.26	£0.00	£0.00	61,881,927.71
Feb-14	ROI	£66,102,607.16	£27,393,747.26	£1,496,376.58	£305,733.65	£76,911.71	£2,819.89	£479,013.35	£22,451.87	£9,128.65	£381,194.91	£0.00	£0.00	96,269,985.03
160-14	NI	£31,130,342.59	£9,846,758.26	£422,869.99	£25,720.60	£3,900.39	£240.37	£187,918.65	£15,303.03	£942.92	£235.51	£0.00	£0.00	41,634,232.31
Mar-14	ROI	£70,041,213.49	£26,285,336.21	£1,449,159.95	£261,906.17	£61,216.38	£2,226.19	£92,283.95	£30,407.22	£960.16	£0.00	£0.00	£0.00	98,224,709.72
IVIGI-14	NI	£30,175,818.70	£9,293,564.48	£406,620.40	£46,940.79	£7,639.04	£408.77	£52,408.32	£11,933.67	£470.83	£0.00	£0.00	£0.00	39,995,805.00
Apr-14	ROI	£62,098,778.40	£21,155,742.39	£1,388,175.41	£528,104.58	£142,466.39	£4,901.73	£242,053.48	£38,030.86	£1,783.00	£0.00	£0.00	£0.00	85,600,036.24
Apr 14	NI	£26,448,426.91	£9,644,850.74	£386,840.18	£307,948.88	£77,962.26	£2,649.15	£53,805.05	£9,613.13	£381.03	£0.00	£0.00	£0.00	36,932,477.33
May-14	ROI	£68,945,192.38	£22,029,381.87	£1,615,436.17	£629,905.18	£213,410.99	£7,659.07	£192,421.65	£21,030.53	£1,110.05	£429,407.30	£0.00	£0.00	94,084,955.19
IVIAY-14	NI	£28,649,957.73	£7,313,397.03	£439,831.96	£149,812.37	£34,908.87	£997.82	£58,386.93	£9,959.93	£468.77	£0.03	£0.00	£0.00	36,657,721.44
Jun-14	ROI	£52,841,750.77	£17,596,854.80	£1,312,068.35	£423,771.26	£115,750.72	£4,162.65	£89,169.46	£18,685.28	£1,014.73	£28,526.30	£0.00	£0.00	72,431,754.32
Juli-14	NI	£21,944,762.06	£6,361,219.34	£345,120.63	£120,971.43	£44,784.33	£1,003.03	£41,125.48	£9,461.42	£415.67	£2,532.18	£0.00	£0.00	28,871,395.57
Jul-14	ROI	£48,255,770.91	£22,988,780.17	£1,292,701.68	£332,606.61	£88,357.34	£2,943.28	£85,242.72	£17,526.18	£1,047.39	£0.00	£0.00	£0.00	73,064,976.28
Jul-14	NI	£16,832,807.07	£5,122,118.14	£325,108.62	£91,338.63	£25,719.39	£870.76	£34,166.04	£7,520.83	£436.14	£0.00	£0.00	£0.00	22,440,085.62
Aug-14	ROI	£49,671,449.35	£18,463,469.38	£767,415.15	£442,875.61	£132,859.46	£2,617.91	£174,481.42	£24,018.61	£806.67	£34,066.85	£0.00	£0.00	69,714,060.41
Aug-14	NI	£20,444,248.38	£5,917,010.08	£191,002.36	£178,167.11	£60,451.34	£1,059.11	£38,565.73	£8,077.48	£245.07	£24,964.25	£0.00	£0.00	26,863,790.91
Sep-14	ROI	£73,166,499.86	£17,774,079.00	£1,638,145.68	£285,506.09	£62,431.70	£3,367.28	£92,320.83	£30,020.38	£728.19	£0.00	£0.00	£0.00	93,053,099.01
3CP 14	NI	£24,828,028.32	£5,414,449.74	£421,681.34	£62,719.19	£15,276.27	£566.66	£41,391.12	£13,194.54	£660.78	£0.00	£0.00	£0.00	30,797,967.96
Oct-14	ROI	£24,219,443.57	£5,293,829.01	£290,759.61	£125,095.27	£15,188.14	£796.75	£32,076.91	£6,465.54	£355.27	£0.00	£0.00	£0.00	29,984,010.07
Oct 14	NI	£73,931,567.89	£18,999,271.36	£1,111,306.76	£521,095.61	£105,483.15	£5,765.50	£89,815.40	£9,518.03	£802.55	£0.00	£0.00	£0.00	94,774,626.25
Nov-14	ROI	£57,386,075.03	£21,066,561.05	£829,482.91	£519,431.32	£147,151.65	£6,123.28	£79,434.93	£23,622.83	£721.00	£0.00	£0.00	£0.00	80,058,604.00
	NI	£21,159,632.98	£6,853,966.46	£220,983.06	£50,691.24	£27,250.12	£653.21	£26,795.35	£6,589.23	£253.47	£0.00	£0.00	£0.00	28,346,815.12
Dec-14	ROI	£70,930,088.87	£29,867,271.70	£888,221.25	£635,976.36	£143,088.63	£7,086.94	£116,364.21	£26,279.71	£995.87	£0.00	£0.00	£0.00	102,615,373.54
200 21	NI	£24,123,259.48	£7,725,422.06	£238,369.94	£58,794.95	£14,543.55	£696.33	£34,690.50	£7,234.36	£296.35	£0.00	£0.00	£0.00	32,203,307.52
Jan-15	ROI	£66,217,285.22	£32,948,586.09	£1,048,029.61	£438,657.65	£106,047.92	£3,853.63	£150,902.14	£27,588.16	£819.15	£0.00	£2,703.81	£0.00	100,944,473.38
Jun 13	NI	£27,989,159.87	£8,572,662.67	£280,425.53	£42,989.83	£9,581.57	£365.00	£37,526.70	£7,104.61	£229.56	£0.00	£1,338.36	£0.00	36,941,383.70
Feb-15	ROI	£65,650,453.03	£55,349,682.44	£856,456.83	£281,934.15	£56,929.88	£1,558.86	£451,006.63	£29,817.73	£839.90	£68,857.79	£0.00	£0.00	122,747,537.24
100 10	NI	£25,773,047.64	£16,395,217.13	£213,118.58	£112,874.22	£37,025.56	£783.98	£25,242.43	£5,150.11	£140.40	£0.00	£0.00	£0.00	42,562,600.05
Mar-15	ROI	£53,956,274.88	£21,836,040.18	£861,676.05	£453,661.43	£115,779.65	£2,416.32	£355,096.34	£39,172.70	£877.23	£111,462.50	£0.00	£0.00	£77,732,457.28
IVIAI-13	NI	£22,615,725.41	£8,408,410.93	£207,225.41	£147,466.81	£46,471.14	£825.82	£39,513.02	£6,098.32	£183.02	£282.78	£0.00	£0.00	£31,472,202.66
Apr-15	ROI	£49,671,449.35	£18,463,469.38	£767,415.15	£442,875.61	£132,859.46	£2,617.91	£174,481.42	£24,018.61	£806.67	£34,066.85	£0.00	£0.00	£69,714,060.41
Apr 23	NI	£20,444,248.38	£5,917,010.08	£191,002.36	£178,167.11	£60,451.34	£1,059.11	£38,565.73	£8,077.48	£245.07	£24,964.25	£0.00	£0.00	£26,863,790.91

Table 31 - Total Charges by Month

Mark	et	Energy	Capacity	M+4 Energy	M+4 Capacity	M+4 Market Operator	M+13 Energy	M+13 Capacity	M+13 Market Operator	Ad-hoc Energy	Ad-hoc Capacity	Ad-hoc Market Operator	Total
Nov. 12	ROI	€101,727,467.69	€26,117,243.83	€1,224,763.25	€189,998.42	€12,263.50	€1,215,831.35	€57,206.41	€1,470.22	€2,187,635.43	€0.00	€0.00	€132,733,880.10
Nov-13	NI	€38,593,632.08	€9,396,822.98	€111,667.01	€10,330.33	€754.66	€405,512.07	€19,818.44	€503.29	€523,998.04	€0.00	€0.00	€49,063,038.90
Dec-13	ROI	€65,016,104.57	€28,265,983.93	€814,481.63	€237,772.30	€8,560.54	€742,019.49	€45,101.88	€1,753.62	€0.00	€0.00	€0.00	€95,131,777.96
Dec-13	NI	€26,883,033.60	€8,854,167.97	€62,225.77	€25,458.47	€563.46	€254,389.50	€14,183.48	€467.80	€0.00	€0.00	€0.00	€36,094,490.05
Jan-14	ROI	€134,009,133.84	€23,642,517.67	€793,440.19	€126,432.23	€7,824.65	€221,578.57	€36,894.00	€1,646.36	€479,971.01	€0.00	€0.00	€159,319,438.52
Jai1-14	NI	€51,714,479.92	€10,157,332.65	€82,843.03	€10,154.76	€543.56	€66,035.81	€14,046.97	€605.11	€109,684.36	€0.00	€0.00	€62,155,726.17
Feb-14	ROI	€78,679,881.12	€26,819,095.36	€304,687.52	€76,805.50	€2,536.46	€531,739.65	€29,343.21	€10,349.43	€443,421.38	€0.00	€0.00	€106,897,859.63
160-14	NI	€29,747,186.53	€10,347,544.45	€37,918.21	€4,082.15	€214.26	€179,315.25	€9,737.45	€350.80	€3.55	€0.00	€0.00	€40,326,352.65
Mar-14	ROI	€75,149,006.14	€26,180,620.54	€259,644.98	€60,397.08	€2,170.67	€127,303.70	€28,200.28	€960.40	€0.00	€0.00	€0.00	€101,808,303.79
IVIAI-14	NI	€29,749,446.42	€9,292,032.85	€46,950.40	€8,326.93	€408.65	€52,017.29	€13,760.80	€471.08	€0.00	€0.00	€0.00	€39,163,414.42
Apr-14	ROI	€65,482,679.64	€21,981,963.17	€549,302.08	€147,627.43	€4,399.40	€259,726.57	€38,566.49	€1,783.33	€0.00	€0.00	€0.00	€88,466,048.11
Арі-14	NI	€25,517,456.45	€8,979,409.88	€303,950.50	€73,719.22	€2,138.60	€56,294.66	€9,188.57	€381.08	€0.00	€0.00	€0.00	€34,942,538.96
May-14	ROI	€68,502,489.93	€22,405,052.21	€652,683.44	€210,307.65	€7,807.32	€249,029.58	€16,425.79	€1,110.17	€9,581.32	€0.00	€0.00	€92,054,487.41
IVIAY-14	NI	€27,515,054.00	€7,036,489.15	€150,145.26	€37,452.65	€999.79	€81,713.52	€13,718.04	€468.77	€3.89	€0.00	€0.00	€34,836,045.07
Jun-14	ROI	€53,863,542.49	€16,268,861.66	€424,333.36	€121,415.36	€4,245.54	€106,227.35	€17,318.53	€1,014.63	€10,805.33	€0.00	€0.00	€70,817,764.25
Juli-14	NI	€18,301,490.12	€7,464,864.99	€121,134.45	€40,186.30	€1,005.32	€50,770.87	€10,564.39	€415.66	€29.76	€0.00	€0.00	€25,990,461.86
Jul-14	ROI	€50,929,138.15	€21,772,067.06	€326,631.36	€82,858.43	€2,938.18	€123,130.56	€17,118.42	€1,016.51	€0.00	€0.00	€0.00	€73,254,898.67
Jui-14	NI	€12,936,147.70	€6,035,816.09	€91,479.13	€29,875.87	€813.16	€67,310.27	€7,807.37	€427.29	€0.00	€0.00	€0.00	€19,169,676.88
Aug-14	ROI	€76,295,371.52	€16,503,906.00	€283,973.76	€42,797.07	€2,738.01	€125,676.42	€0.00	€1,327.83	€29.36	€0.00	€0.00	€93,255,819.97
Aug-14	NI	€14,229,748.35	€5,312,669.68	€178,040.01	€60,667.89	€1,059.24	€28,971.47	€8,624.89	€241.56	€20,785.23	€0.00	€0.00	€19,840,808.32
Sep-14	ROI	€73,630,247.02	€17,405,067.16	€261,367.00	€62,924.88	€3,377.33	€73,033.72	€11,845.94	€728.13	€0.00	€0.00	€0.00	€91,448,591.18
3ep-14	NI	€22,272,153.08	€5,742,482.51	€49,069.86	€14,962.35	€717.66	€41,404.59	€13,672.05	€509.28	€0.00	€0.00	€0.00	€28,134,971.38
Oct-14	ROI	€14,229,748.35	€5,312,669.68	€178,040.01	€60,667.89	€1,059.24	€28,971.47	€8,624.89	€241.56	€20,785.23	€0.00	€0.00	€19,840,808.32
001-14	NI	€18,391,944.98	€5,868,972.09	€82,257.95	€15,709.16	€1,031.70	€42,677.16	€6,422.11	€498.29	€0.00	€0.00	€0.00	€24,409,513.44
Nov-14	ROI	€64,818,088.97	€20,480,936.98	€530,386.99	€157,754.12	€6,116.91	€78,674.36	€23,606.67	€1,289.81	€0.00	€0.00	€0.00	€86,096,854.81
NOV-14	NI	€14,616,605.70	€7,312,194.38	€50,960.79	€18,897.71	€653.20	€37,498.77	€6,592.72	€254.29	€0.00	€0.00	€0.00	€22,043,657.56
Dec-14	ROI	€79,262,340.64	€30,252,803.13	€636,211.01	€143,171.30	€7,087.15	€116,495.94	€25,330.11	€995.97	€0.00	€0.00	€0.00	€110,444,435.25
Det-14	NI	€17,625,339.05	€7,511,303.13	€58,743.90	€14,475.87	€679.17	€34,724.44	€7,982.34	€296.61	€0.00	€0.00	€0.00	€25,253,544.51
Jan-15	ROI	€77,706,417.44	€34,394,754.66	€438,764.21	€107,475.98	€4,105.28	€98,914.59	€27,079.30	€830.89	€14,240.78	€3,537.75	€0.00	€112,796,120.88
Jaii-12	NI	€21,735,748.95	€7,476,289.80	€38,275.71	€8,505.48	€324.11	€25,331.16	€7,456.18	€248.46	€0.00	€691.42	€0.00	€29,292,871.27
Feb-15	ROI	€73,470,092.53	€55,924,536.86	€296,450.78	€68,641.91	€1,587.00	€108,844.27	€30,840.66	€843.06	€0.00	€0.00	€0.00	€129,901,837.07
L60-12	NI	€19,828,437.97	€15,954,828.70	€108,022.71	€28,545.69	€367.07	€16,957.65	€4,432.19	€141.23	€0.00	€0.00	€0.00	€35,941,733.21
Mar-15	ROI	€62,833,350.60	€23,162,278.12	€454,954.34	€115,622.74	€2,409.00	€95,140.99	€35,705.38	€876.34	€33.87	€0.00	€0.00	€86,700,371.38
ivial-15	NI	€18,497,389.79	€7,572,263.19	€147,525.82	€46,556.55	€825.97	€19,215.14	€8,635.89	€182.86	€726.16	€0.00	€0.00	€26,293,321.37
Apr-15	ROI	€55,596,682.04	€19,228,984.53	€447,913.03	€132,018.11	€2,588.47	€93,342.92	€23,125.23	€794.27	€27,655.34	€0.00	€0.00	€75,553,103.94
Apr-15	NI	€14,229,748.35	€5,312,669.68	€178,040.01	€60,667.89	€1,059.24	€28,971.47	€8,624.89	€241.56	€20,785.23	€0.00	€0.00	€19,840,808.32

Table 32 - Total Payments by Month

15 Appendix H: Full Balancing Costs

Historical figures for full Balancing Costs of both the Trading and Capacity Markets, for the current financial year (October to September), are provided below. Information related to periods before this is available in previous Monthly Market Operator Reports.

- Positive values indicate Payments were greater than Charges.
- Negative values indicate Charges were greater than Payments.

Trading Market

Date Of Invoice	Week No	SEM Balancing Costs	VAT Balancing Costs
03/10/2014	38	-€115,563.34	-€ 12,716.83
10/10/2014	39	€103,327.94	€49,084.94
17/10/2014	40	-€315,014.02	-€ 48,688.42
24/10/2014	41	€234,738.53	€13,856.57
31/10/2014	42	€833,278.35	-€228,026.23
07/11/2014	43	€1,209,277.49	€172,019.41
14/11/2014	44	-€89,236.37	-€18,016.46
21/11/2014	45	-€726,843.59	-€105,801.85
28/11/2014	46	-€504,700.82	-€60,211.13
05/12/2014	47	-€783,945.26	-€105,665.85
12/12/2014	48	-€481,481.35	-€72,270.22
19/12/2014	49	€485,102.80	€53,433.64
31/12/2014	50	€980,523.50	€ 148,117.94
06/01/2015	51	€1,093,199.99	-€115,434.63
09/01/2015	52	€1,320,639.28	-€ 84,567.47
16/01/2015	1	€1,142,575.16	-€178,714.26
23/01/2015	2	€496,291.68	-€87,488.46
30/01/2015	3	-€871,479.91	€86,389.82
06/02/2015	4	€371,162.79	-€86,251.15
13/02/2015	5	-€198,874.86	€21,560.90
20/02/2015	6	-€341,073.88	€60,600.73
27/02/2015	7	€9,930.09	-€86,398.49
03/03/2015	8	€345,725.42	-€150,752.30
10/03/2015	9	€1,239,682.13	-€129,512.35
17/03/2015	10	€718,089.57	-€101,950.03
24/03/2015	11	-€432,482.35	€14,085.31
31/03/2015	12	€449,126.81	-€64,651.98
7/04/2015	13	€89,053.88	-€38,664.98
14/04/2015	14	-€1,012,471.70	€128,936.18
21/04/2015	15	-€839,084.24	€128,786.90

Table 33 – Full Balancing Costs for Trading Charges and Payments

Note: SEM Balancing Costs are provided based on daily exchange rates; VAT Balancing Costs are based on the Invoicing Date Trading Day exchange rate. VAT Balancing costs exclude Currency Cost related VAT.

Capacity Market

Market Operator Monthly Report

Invoice Month	SEM Balancing Costs	VAT Balancing Costs
October 2014	-€361.28	-€ 968.24
November 2014	-€348.12	-€0.03
December 2014	-€393.11	€0.00
January 2015	-€416.65	€0.04
February 2015	-€364.18	€0.02
March 2015	-€382.43	-€0.03
April 2015	-€265.40	-€0.08

Table 34 - Balancing Costs for Capacity Settlement

Note: SEM Capacity Balancing Costs and VAT Balancing Costs are provided based on Annual Capacity exchange rate. VAT Balancing costs exclude Currency Cost related VAT.

16 Appendix I: MSP Algorithms

The Market Operator has two different certified solvers used to determine Unit Commitment. These solvers use the Lagrangian Relaxation (LR) and Mixed Integer Programming (MIP) methodologies.

The primary algorithm used in the SEM is Lagrangian Relaxation (LR). Under certain schedule outcomes this solution is compared to results achieved using MIP. The SEMO policy on the use of MIP has been updated and is available from the SEMO website <a href="https://example.com/her-semonth-semon

Historical information on runs and dates where the MIP algorithm has been used for published results is provided below.

Month	Ex-Ante	Ex-Ante 2	Ex-Post Indicative	Ex-Post Initial	Within Day
October 2014	10/10/2014	03/10/2014 15/10/2014 28/10/2014	06/10/2014 13/10/2014 29/10/2014	06/10/2014 13/10/2014 27/10/2014	<u>19/10/2014</u>
November 2014	=	02/11/2014 11/11/2014 15/11/2014 25/11/2014	20/11/2014 24/11/2014 26/11/2014	12/11/2014 20/11/2014 26/11/2014	Ξ
December 2014	14/12/2014	04/12/2014 14/12/2014 25/12/2014	01/12/2014	04/12/2014	Ξ
January 2015	06/01/2015	12/01/2015 15/01/2015 21/01/2015 23/01/2015	03/01/2015	28/01/2015	<u>16/01/2015</u>
February 2015	=	06/02/2015 07/02/2015 09/02/2015 13/02/2015 18/02/2015 23/02/2015	24/02/2015	28/02/2015	05/02/2015 10/02/2015
<u>March 2015</u>	=	=	<u>-</u>	<u>15/03/2015</u>	<u>24/03/2015</u>
<u>April 2015</u>	=	=	20/04/2015	20/04/2015	25/04/2015

Table 35 - MIP Algorithms

				MIP Peak	
Operational Date	Trade Date	Run Type	LR Peak SMP	SMP	Published
02/10/2014	03/10/2014	EA2	€1000	€298.79	MIP
07/10/2014	06/10/2014	EP1	€1000	€287.16	MIP
10/10/2014	06/10/2014	EP2	€1000	€288.65	MIP
09/10/2014	10/10/2014	EA1	€1000	€338.11	MIP
14/10/2014	13/10/2014	EP1	€1000	€141.67	MIP
17/10/2014	13/10/2014	EP2	€1,000	€269.41	MIP
14/10/2014	15/10/2014	EA2	€1,000	€219.27	MIP
19/10/2014	19/10/2014	WD1	€1,000	€117.07	MIP
31/10/2014	27/10/2014	EP2	€567.43	€452.53	MIP
27/10/2014	28/10/2014	EA2	€1000	€255.85	MIP
30/10/2014	29/10/2014	EP1	€1000	€436.71	MIP
01/11/2014	02/11/2014	EA2	€1000	€215.23	MIP
10/11/2014	11/11/2014	EA2	€1000	€229.26	MIP
14/11/2014	15/11/2014	EA2	€1000	€369.02	MIP
24/11/2014	25/11/2014	EA2	€572.13	€424.16	MIP
21/11/2014	20/11/2014	EP1	€1000	€228.86	MIP
27/11/2014	26/11/2014	EP1	€1000	€380.87	MIP
25/11/2014	24/11/2014	EP1	€630.52	€560.63	MIP
16/11/2014	12/11/2014	EP2	€1000	€357.67	MIP
24/11/2014	20/11/2014	EP2	€1000	€228.14	MIP
30/11/2014	26/11/2014	EP2	€1,000	€455.21	MIP
01/12/2014	30/11/2014	EP1	€554.66	€841.81	MIP
04/12/2014	05/12/2014	EA2	€1000	€271.08	MIP
04/12/2014	30/11/2014	EP2	€554.65	€439.23	MIP
14/12/2014	15/12/2014	EA1	€585.68	€241.97	MIP
14/12/2014	15/12/2014	EA2	€585.68	€242.87	MIP
25/12/2014	26/12/2014	EA2	€584.33	€71.42	MIP
03/01/2015	02/01/2015	EP1	€560.46	€244.25	MIP
06/01/2015	07/01/2015	EA1	€550.32	€230.74	MIP
12/01/2015	13/01/2015	EA2	€1000	€162.06	MIP
15/01/2015	16/01/2015	EA2	€1000	€210.05	MIP
16/01/2015	16/01/2015	WD1	€557.82	€176.01	MIP
21/01/2015	22/01/2015	EA2	€554.69	€183.59	MIP
23/01/2015	24/01/2015	EA2	€1000	€361.30	MIP
28/01/2015	24/01/2015	EP2	€1000	€358.00	MIP
05/02/2015	05/02/2015	WD1	€583.65	€461.14	MIP
06/02/2015	07/02/2015	EA2	€1000	€201.17	MIP
07/02/2015	08/02/2015	EA2	€1000	€238.69	MIP
09/02/2015	10/02/2015	EA2	€1000	€211.44	MIP
10/02/2015	10/02/2015	WD1	€1000	€206.00	MIP
13/02/2015	14/02/2015	EA2	€1000	€920.77	MIP
18/02/2015	19/02/2015	EA2	€1000	€475.15	MIP
23/02/2015	24/02/2015	EA2	€1000	€239.26	MIP
24/02/2015	23/02/2015	EP1	€1000	€235.20	MIP
28/02/2015	24/02/2015	EP2	€1000	€200.00	MIP
15/03/2015	11/03/2015	EP2	€1000	€418.22	MIP
24/03/2015	24/03/2015	WD1	€586.24	€740.28	MIP
21/04/2015	20/04/2015	EP1	€589.68	€193.68	MIP
25/04/2015	24/04/2015	WD1		€79.45 €162.18	MIP
23/04/2013	24/04/2015	AADI	€1,000	£102.18	IVIIP

Market Operator Monthly Report

24/04/2015 20/04/2015 EP2 €589.68 €80.11 MIP	24/04/2015	20/04/2015	EP2	€589.68	€80.11	MIP
--	------------	------------	-----	---------	--------	-----

Table 36 - MIP Vs LR Peak Price Comparison